

## CHECKLIST OF OSTRACODA FROM INDIA-1. CENOZOIC OSTRACODA (MARINE)

S. P. JAIN

GEOLOGY DEPARTMENT, PANJAB UNIVERSITY, CHANDIGARH-160 014.

### ABSTRACT

360 ostracod taxa, ranging in age from the Paleocene to Recent, have been listed along with their geographical and geological distribution in India.

### INTRODUCTION

The beginning of ostracod study in India was made more than a hundred years ago but it was only from 1960 onwards that sustained efforts have been made in this direction. Bhatia, Guha and Mckenzie in McKenzie (1971) brought out the first complete check list of ostracoda from India, Pakistan and Sri Lanka (Ceylon). A lot of work has been done on the marine as well as fresh water ostracoda of Mesozoic—Recent age from India during the seventies. It was, therefore, felt that a revised and up-to-date check list would serve a useful purpose for those interested in ostracods. For obvious reasons, references to the occurrences of ostracods in the neighbouring Pakistan, Sri Lanka and Burma have not been included.

The present check list is proposed to be divided into three parts. Part I deals with the marine Cenozoic ostracoda. Marine Mesozoic and Palaeozoic ostracods will be included in part II. The fresh water ostracods will be dealt with in part III.

In the check list the ostracod taxa have been listed alphabetically. The known geological and geographical distribution in India, original and subsequent references have been given. However, only those papers that have given figures and/or description of the ostracod taxa have been taken into consideration.

### HISTORICAL REVIEW

As stated earlier, the foundations of the ostracod study in India were laid with the publication of three papers in 1960. These are by Bhatia and Mandwal (1960) on the Lower Miocene ostracoda of Surat-Broach area (Gujarat); Lubimova, Guha and Mohan (1960) on the Tertiary ostracoda of Kutch; and by Tewari and Tandon (1960) also on the Tertiary ostracoda of Kutch. Subsequent contributions on the Tertiary ostracoda from the Cambay, Kutch and Saurashtra regions of Gujarat are by Guha (1961 *et seq.*), Tewari and Bhargava (1968) and Khosla (1978). The Tertiary ostracoda from

Rajasthan have been studied by Singh and Misra (1968), Khosla (1968, 1972) and Mamgain and Chatterjee (1977). The marine Tertiary rocks of the Jammu and Simla areas in the Western Himalaya and Meghalaya in the east have yielded only a few ostracod taxa and these have been described by Tewari and Singh (1967); Mathur (1969); Srivastava (1968) and Sharma (1972). The ostracods from the Tertiary beds of the east coast of India have been studied by Rajagopalan (1962); Guha, Mohan, Kumar, Iyengar, and Raju (1965); Guha (1968c); Guha and Shukla (1973); Jain (1978b) and Bhalla (1979 a, b; 1980). The rich ostracod fauna from the Andaman Islands has been described by Guha (1968) and Singh, Vimal and Kurle (1972); of Bombay off-shore by Guha (1975) and of Quilon beds, Kerala, by Guha and Rao (1976). There are only four papers dealing with the Recent ostracods from the Indian coastal waters. These are by Honappa (1975); Jain (1976; 1978a) and Bhatia and Kumar (1979). Besides these, casual references on the Cenozoic ostracods of India are found in Gramman (1975); Maddocks (1969); and Siddiqui (1971).

### THE CHECK LIST

*Genus Acanthocythereis* HOWE, 1963

*Acanthocythereis bhujensis* (TEWARI & TANDON)

*Trachyleberis* ? *bhujensis* TEWARI & TANDON, 1960, p. 155, text-fig. 6, fig. 3a-b.

*Acanthocythereis bhujensis* (TEWARI & TANDON). Guha, 1968b, p. 91, pl. 1, fig. 22, 25, 28.

*Age* : Lower-Middle Eocene.

*Distribution* : Gujarat.

*Acanthocythereis* sp.

*Acanthocythereis* sp. Guha, 1971, p. 20, pl. 1, fig. 6-7.

*Age* : Upper Eocene.

*Distribution* : Gujarat.

*Genus Actinocythereis* PURI, 1953

*Actinocythereis grekoffi* GUHA

*Actinocythereis grekoffi* GUHA, 1971, p. 19, pl. 1, fig. 8, 11.

*Age* : Upper Eocene.

*Distribution* : Gujarat.

- Actinocythereis gujaratensis* TEWARI & TANDON  
*Actinocythereis gujaratensis* TEWARI & TANDON, 1960, p. 154, text-fig. 3, fig. 1a-b ; Tewari & Bhargava, 1968, p. 29, pl. 2, fig. 5a-b.  
*Age* : Oligocene—Lower Miocene.  
*Distribution* : Gujarat.
- Actinocythereis indica* RAJAGOPALAN  
*Actinocythereis indica* RAJAGOPALAN, 1962, p. 65, pl. 3, fig. 7-8.  
*Age* : Upper Paleocene.  
*Distribution* : Pondicherry.
- Actinocythereis levinsoni* (BHATIA & MANDWAL)  
*Actinocythereis levinsoni* BHATIA AND MANDWAL, 1960, p. 241, pl. 41, fig. 5a-b; Guha, 1974, p. 171.  
*Age* : Lower Eocene—Lower Miocene.  
*Distribution* : Gujarat.
- Actinocythereis scutigera* (BRADY)  
*Trachyleberis* (*Actinocythereis*) *scutigera* (BRADY). Gramman, 1975, p. 13, pl. 5, fig. 2.  
*Actinocythereis scutigera* (BRADY). Jain, 1978a, p. 105, fig. 3E.  
*Age* : Recent.  
*Distribution* : Mandvi, West Coast of India.
- Actinocythereis tumefaciens* (LUBIMOVA & GUHA)  
*Trachyleberis tumefacentis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 36, pl. 3, fig. 4.  
*Actinocythereis tumefacentis* (LUBIMOVA & GUHA). Guha, 1961, p. 4, fig. 7, 11, 18 ; Guha et al., 1965, p. 3, pl. 3, fig. 11 ; Guha, 1967a ; Guha 1967b ; Guha 1975, p. 14 ; Guha & Rao, 1976, p. 92.  
*Actinocythereis tumefaciens* (LUBIMOVA & GUHA). Khosla, 1978, p. 266, pl. 4, fig. 1.  
*Age* : Lower Eocene—Lower Miocene.  
*Distribution* : Gujarat ; Bombay off-shore ; Kerala ; Tamil Nadu.
- Actinocythereis vinjhanensis* (TEWARI & TANDON)  
*Trachyleberis vinjhanensis* TEWARI & TANDON, 1960, p. 155, text-fig., 3, fig. 5a-b.  
*Actinocythereis vinjhanensis* (TEWARI & TANDON). Bhatia et al., in McKenzie, 1971, p. 2.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Actinocythereis waiorenensis* TEWARI & TANDON  
*Actinocythereis waiorenensis* TEWARI & TANDON, 1960, p. 154, text-fig. 3, 2a-b.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Genus *Aglaocypris* SYLVESTER-BRADLEY, 1947  
*Aglaocypris* ? sp.  
*Aglaocypris* ? sp. Khosla, 1978, p. 260, pl. 2, fig. 16.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Genus *Alocopocythere* SIDDIQUI, 1971  
*Alocopocythere fossularis* (LUBIMOVA & GUHA)  
*Trachyleberis fossularis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 40, pl. 3, fig. 7.  
*Cytheretta cheropadiensis* TEWARI & TANDON, 1960, p. 159, text-fig. 5, fig. 4a-b.
- Cytheromorpha* sp. indet. Bhatia & Mandwal, 1960, p. 282, pl. 41, fig. 10.  
*Echinocythereis fossularis* (LUBIMOVA & GUHA). Guha, 1961, p. 4, fig. 5, 9 ; Guha et al., 1965, p. 13, pl. 3, fig. 12 ; Guha 1974, p. 171 ; Guha, 1975, p. 14.  
*Echinocythereis cheropadiensis* (TEWARI & TANDON). Tewari & Singh, 1967, p. 125, pl. 3, fig. 2a-c.  
*Quadracythere fossularis* (LUBIMOVA & GUHA). Guha, 1968c, p. 215, pl. 2, fig. 20.  
*Trachyleberis* sp. Srivastava, 1968, p. 141, fig. 1-3.  
*Alocopocythere fossularis* (LUBIMOVA & GUHA). Siddiqui, 1971, p. 14 ; Guha & Rao, 1976, p. 92 ; Khosla, 1978, p. 266, pl. 4, fig. 2.  
*Age* : Lower Eocene—Lower Miocene.  
*Distribution* : Gujarat ; Bombay off-shore ; Kerala ; Tamil Nadu ; Meghalaya ; Jammu.
- Alocopocythere* sp. cf. *A. fossularis* (LUBIMOVA & GUHA)  
*Quadracythere* cf. *fossularis* (LUBIMOVA & GUHA). Guha, 1968c, p. 216, pl. 1, fig. 7, 11.  
*Age* : Pliocene—Pleistocene.  
*Distribution* : Tamil Nadu.
- Alocopocythere gujaratensis* KHOSLA  
*Alocopocythere gujaratensis* KHOSLA, 1978, p. 267, pl. 4, fig. 3-4.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Alocopocythere reticulata indoaustralia* HARTMANN  
*Alocopocythere reticulata indoaustralia* HARTMANN. Jain, 1978, p. 107, fig. 3 G1-3 ; Bhatia & Kumar, 1979, p. 173, pl. 1, fig. 6.  
*Age* : Recent.  
*Distribution* : Mandvi, and off Karwar, West Coast of India.
- Genus *Anticythereis* BOLD, 1946  
*Anticythereis memorans* (LUBIMOVA & GUHA)  
*Trachyleberis memorans* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 38 pl. 3, fig. 5.  
*Quadracythere gautami* SINGH & MISRA, 1968, p. 30, pl. 8, fig. 1-3.  
*Trachyleberis deshpandei* SINGH & MISRA, 1968, p. 33, pl. 9, fig. 1-3.  
*Trachyleberis mathuri* SINGH & MISRA, 1968, p. 33, pl. 9, fig. 4-6.  
*Anticythereis memorans* (LUBIMOVA & GUHA). Khosla, 1968, p. 46, fig. 10 ; Khosla, 1972, p. 487, pl. 2, fig. 4 ; pl. 4, fig. 4.  
*Age* : Lower—Middle Eocene.  
*Distribution* : Gujarat, Rajasthan.
- Anticythereis memorans mudhensis* KHOSLA  
*Anticythereis memorans mudhensis* KHOSLA, 1972, p. 487, pl. 2, fig. 5-6 ; pl. 4, fig. 5 ; pl. 5, fig. 4.  
*Age* : Lower Eocene.  
*Distribution* : Rajasthan.
- Genus “*Archicythereis*” HOWE, 1936  
“*Archicythereis*” *howei* KHOSLA  
“*Archicythereis*” *howei* KHOSLA, 1972, p. 487, pl. 2, fig. 7-8 ; pl. 4, fig. 3.  
*Age* : Lower Eocene.  
*Distribution* : Rajasthan.
- “*Archicythereis*” *pulchra* (LUBIMOVA & GUHA)  
*Cythereis pulcheris* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 35, pl. 2, fig. 3a-b.

- "*Archicythereis pulchra* (LUBIMOVA & GUHA). Khosla, 1978, p. 267, pl. 4, fig. 6 ; pl. 6, fig. 13.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- "*Archicythereis*" sp. A  
 "Archicythereis" sp. A. Khosla, 1978, p. 267, pl. 4, fig. 8 ; pl. 6, fig. 12.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- "*Archicythereis*" ? sp. B  
 "Archicythereis" ? sp. B. Khosla, 1978, p. 268, pl. 4, fig. 7.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Genus Argilloecia* SARS, 1866  
*Argilloecia* sp. 2
- Argilloecia* sp. 2. Maddocks, 1969, p. 47, fig. 34, a, b, e, f.  
*Age* : Recent.  
*Distribution* : East Coast of India.
- Genus Asymmetrythere* BASSIOUNI, 1971  
*Asymmetrythere mutata* (LUBIMOVA & GUHA)  
*Trachyleberis mutata* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1969, p. 41, pl. 3, fig. 8-9.  
*Leguminocythereis mutata* (LUBIMOVA & GUHA). Guha, 1961, p. 3, fig. 17 ; Guha *et al.*, 1965, p. 3, pl. 3, fig. 16 ; Guha, 1968 c., p. 209, pl. 2, fig. 6.  
*Asymmetrythere mutata* (LUBIMOVA & GUHA). Gramman, 1975, p. 21, pl. 2, fig. 4.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat, Tamil Nadu.
- Genus Atjehella* KINGMA, 1948  
*Atjehella* sp. aff. *A. semiplicata* KINGMA  
*Atjehella* sp. aff. *A. semiplicata* KINGMA. Jain, 1978 a, p. 123, fig. 4I.  
*Age* : Recent.  
*Distribution* : Mandvi, West Coast of India.
- Genus Aurila* POKORNY, 1955  
*Aurila* sp. cf. *A. amygdala* (STEPHENSON)  
*Aurila* sp. cf. *A. amygdala* (STEPHENSON). Khosla, 1978, p. 262, pl. 3, fig. 5.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Aurila cicatricosa* (REUSS)  
*Aurila cicatricosa* (REUSS). Bhatia & Mandwal, 1960, p. 282, pl. 4I, fig. 8.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Genus Bairdia* McCOVY, 1844  
*Bairdia amygdaloidea* BRADY  
*Bairdia amygdaloidea* BRADY. Bhatia and Mandwal, 1960, p. 280, pl. 4I, fig. 1.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.
- Bairdia antillea* BOLD  
*Bairdia antillea* BOLD. Singh *et al.*, 1972, p. 293, fig. 1.  
*Age* : Pliocene.  
*Distribution* : Andaman Islands.
- Bairdia beraguensis* SINGH & TEWARI  
*Bairdia beraguensis* SINGH & TEWARI, in Tewari & Singh, 1967, p. 119, pl. 1, fig. 4a-d ; Khosla, 1972, p. 481, pl. 3, fig. 8.  
*Age* : Lower-Middle Eocene.  
*Distribution* : Jammu ; Rajasthan.
- Bairdia gliberti* (KEIJ)  
*Bairdopspilata kalakotensis* SINGH & TEWARI, in Tewari & Singh, 1967, p. 120, pl. 1, fig. 1a-d.  
*Bairdia gliberti* (KEIJ). Khosla, 1972, p. 483, pl. 1, fig. 9.  
*Age* : Lower-Middle Eocene.  
*Distribution* : Jammu ; Rajasthan.
- Bairdia kirtharensis* TEWARI & TANDON  
*Bairdia?* *kirtharensis* TEWARI & TANDON, 1960, p. 149, text-fig. 1, fig. 4a-b.  
*Bairdia kirtharensis* TEWARI & BHARGAVA, 1968, p. 29, pl. 11, fig. 1-b, Khosla, 1972, p. 484, pl. 1, fig. 12 ; Mamgain & Chatterjee, 1977, p. 44, pl. 7, fig. A,C.  
*Age* : Lower Eocene—Oligocene.  
*Distribution* : Gujarat ; Rajasthan.
- Bairdia koteswarensis* TEWARI & TANDON  
*Bairdia subdeltoidea* koteswarensis TEWARI & TANDON, 1960, p. 149, text-fig. 1, fig. 2a-b ; Guha, 1968b, p. 83.  
*Age* : Middle Eocene.  
*Distribution* : Gujarat.
- Bairdia kutchenensis* KHOSLA, new name  
*Bairdia indica* TEWARI & TANDON, 1960, p. 148, text-fig. 1, fig. 1a-b (not *Nesidea indica* Doeglas).  
*Bairdia kutchenensis* KHOSLA, new name, 1972, p. 483, pl. 1, fig. 10.  
*Age* : Middle Eocene.  
*Distribution* : Gujarat ; Rajasthan.
- Bairdia* sp. cf. *B. orientalis* (DOEGLAS)  
*Bairdia* cf. *orientalis* (DOEGLAS). Guha, 1968a, p. 59, pl. 5, fig. 4.  
*Age* : Middle—Upper Miocene.  
*Distribution* : Andaman Islands.
- Bairdia poddari* LUBIMOVA & MOHAN  
*Bairdopspilata poddari* LUBIMOVA & MOHAN, in Lubimova, Guha & Mohan, 1960, p. 21, pl. 2, fig. a-b ; Guha *et al.*, 1965, p. 13, pl. 3, fig. 9 ; Guha 1967a ; Guha, 1967b ; Guha, 1968 b, p. 83.  
*Bairdopspilata jaswanti* SINGH & MISRA, 1968, p. 36, pl. 10, fig. 9-10, pl. 11, fig. 1.  
*Bairdia poddari* (LUBIMOVA & MOHAN). Khosla, 1972, p. 484, pl. 1, fig. 12 ; Guha 1975, p. 13 ; Guha and Rao, 1976, p. 92 ; Mamgain & Chatterjee, 1977, p. 44, pl. 8, fig. B,D.  
*Age* : Lower Eocene—Lower Miocene.  
*Distribution* : Rajasthan ; Gujarat ; Bombay Offshore ; Kerala ; Tamil Nadu.
- Bairdia talukdari* GUHA & SHUKLA  
*Bairdia talukdari* GUHA & SHUKLA, 1973, p. 97, pl. 1, fig. 7, 10, 18.  
*Age* : Upper Paleocene—Lower Eocene.  
*Distribution* : Tamil Nadu.
- Bairdia* sp.  
*Bairdia* sp. Tewari & Tandon, 1960, p. 150, text-fig. 1, fig. 3a-c.  
*Age* : Middle Eocene.  
*Distribution* : Gujarat.

**"Bairdia"** sp. indet.

**"Bairdia"** sp. indet. Jain, 1978 b. p. 53, pl. 1, fig. 4.

**Age :** Lower Eocene.

**Distribution :** Andhra Pradesh.

**Genus** *Bairdopplata* CORYELL, SAMPLE & FIELDS,  
1934

*Bairdopplata (B.) alcyonicola* MADDOCKS

*Bairdopplata (Bairdopplata) alcyonicola* MADDOCKS. Bhatia & Kumar, 1979, p. 173, pl. 3, fig. 5.

**Age :** Recent.

**Distribution :** Off Karwar, West Coast of India.

*Bairdopplata rajnathi* TEWARI & TANDON

*Bairdopplata rajnathi* TEWARI & TANDON, 1960, p. 150, text-fig. 1, fig. 5a-d ; Khosla 1978, p. 257, pl. 1, fig. 9.

**Age :** Lower Miocene.

**Distribution :** Gujarat ; Rajasthan.

*Bairdopplata* sp. A

*Bairdopplata* sp. A. Khosla, 1978, p. 257, pl. 1, fig. 10.

**Age :** Lower Miocene.

**Distribution :** Gujarat.

*Bairdopplata* sp. B

*Bairdopplata* sp. B. Khosla, 1978, p. 258, pl. 1, fig. 11.

**Age :** Lower Miocene.

**Distribution :** Gujarat.

*Bairdopplata* sp. C

*Bairdopplata* sp. C. Khosla, 1978, p. 258, pl. 1, fig. 12.

**Age :** Lower Miocene.

**Distribution :** Gujarat.

**Genus** *Basslerites* HOWE, 1937*Basslerites liebaui* JAIN

*Basslerites liebaui* JAIN, 1978 a, p. 116, fig. 4A 1-3 ; 6 L.

**Age :** Recent.

**Distribution :** Mandvi, West Coast of India.

*Basslerites* ? sp.

*Basslerites* ? sp. Khosla, 1978, p. 268, p. 4, fig. 9.

**Age :** Lower Miocene.

**Distribution :** Gujarat.

**Genus** *Brachycythere* ALEXANDER, 1933*Brachycythere mckenziei* GUHA & SHUKLA

*Brachycythere mckenziei* GUHA & SHUKLA, 1973, p. 99, pl. 1 fig. 5, 6, 17.

**Age :** Lower Eocene.

**Distribution :** Tamil Nadu.

? *Brachycythere* sp.

? *Brachycythere* sp. Khosla, 1972, p. 488, pl. 2, fig. 3 ; pl. 4, fig. 6.

**Age :** Lower Eocene.

**Distribution :** Rajasthan.

**Genus** *Bradleya* HORNIBROOK, 1952*Bradleya latebrosa* (LUBIMOVA & GUHA)

*Cythereis latebrosa* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 34, pl. 3, fig. 2.

*Bradleya latebrosa* (LUBIMOVA & GUHA). Guha, 1968c, p. 216, pl. 2, fig. 19, 21 ; Guha, 1975, p. 14 ; Guha & Rao, 1976, p. 92.

**Age :** Oligocene—Lower Miocene.

**Distribution :** Gujarat ; Bombay off-shore ; Kerala ; Tamil Nadu.

***Bradleya telisaensis* (LE ROY)**

*Bradleya dictyon* (BRADY). Guha, 1968a, p. 65, pl. 5, fig. 17, 18 [Not *Bradleya dictyon* (BRADY)].

*Bradleya telisaensis* (LE ROY). Gramman, 1975, p. 11, pl. 1, fig. 3-5.

**Age :** Pliocene.

**Distribution :** Andaman Islands.

? *Bradleya* sp. indet.

? *Bradleya* sp. indet. Bhatia & Mandwal, 1960, p. 281, pl. 41, fig. 6.

**Age :** Lower Miocene.

**Distribution :** Gujarat.

**Genus** *Buntonia* HOWE, 1935*Buntonia boldi* KHOSLA

*Buntonia boldi* KHOSLA, 1972. p. 488, pl. 2, fig. 13-14 ; pl. 5, fig. 3.

**Age :** Lower Eocene.

**Distribution :** Rajasthan.

*Buntonia lubimovae* GUHA

*Buntonia lubimovae* GUHA, 1971. p. 19, pl. 8, fig. 3, 10.

**Age :** Upper Eocene.

**Distribution :** Gujarat.

*Buntonia secedens* (LUBIMOVA & GUHA)

*Cytherella secedens* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 44, pl. 4, fig. 2a-b ; Guha, 1967a.

*Buntonia secedens* (LUBIMOVA & GUHA). Khosla, 1978, p. 268, pl. 4, fig. 16-17.

**Age :** Lower Miocene.

**Distribution :** Gujarat.

**Genus** *Bythoceratina* HORNIBROOK, 1952*Bythoceratina mandviensis* JAIN

*Bythoceratina mandviensis* JAIN, 1978 a, p. 130, fig. 5K 1-3.

**Age :** Recent.

**Distribution :** Mandvi, West Coast of India.

**Genus** *Bythocypris* BRADY, 1880

## Bythocypris sp. cf. B. ? cancanaensis (BOLD)

Bythocypris sp. cf. B? cancanaensis (BOLD). Khosla, 1972, p. 484, pl. 1, fig. 14.

**Age :** Middle Eocene.

**Distribution :** Rajasthan.

## Bythocypris elongata MAMGAIN &amp; CHATTERJEE

Bythocypris elongata MAMGAIN & CHATTERJEE, 1977, p. 45, pl. 8, fig. A, C.

**Age :** Lower Eocene.

**Distribution :** Rajasthan.

## Bythocypris guraensis MAMGAIN &amp; CHATTERJEE

Bythocypris guraensis MAMGAIN & CHATTERJEE, 1977 p. 44, pl. 7, fig. B, D.

**Age :** Lower Eocene.

**Distribution :** Rajasthan.

## Bythocypris kutchensis GUHA

Bythocypris kutchensis GUHA, 1974, p. 160, pl. 2, fig. 10-11.

**Age :** Lower Eocene.

**Distribution :** Gujarat.

*Bythocypris mianica* TEWARI & TANDON

*Bythocypris mianica* TEWARI & TANDON, 1960, p. 150, text-fig. 2, fig. 1a-b, Guha, 1968b, p. 83 ; Khosla, 1972, p. 484, pl. 1, fig. 13.

*Age* : Middle Eocene.

*Distribution* : Gujarat ; Rajasthan.

*Bythocypris reniformis* BRADY

*Bythocypris reniformis* BRADY. Guha, 1975, p. 17, pl. 1, fig. 1.

*Age* : Upper Oligocene—Middle Miocene.

*Distribution* : Bombay off-shore.

*Bythocypris westi* SINGH & TEWARI

*Bythocypris westi* SINGH & TEWARI, in Tewari & Singh, 1967, p. 121, pl. 2, fig. 1a-d.

*Age* : Lower Eocene.

*Distribution* : Jammu.

?*Bythocypris* sp. indet.

? *Bythocypris* sp. indet. Jain, 1978 b. p. 53, pl. 1, fig. 5.

*Age* : Lower Eocene.

*Distribution* : Andhra Pradesh.

*Bythocypris* sp. A

*Bythocypris* sp. A. Jain, 1978 a, p. 94, fig. 2D.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

*Bythocypris* sp. B

*Bythocypris* sp. B. Jain, 1978 a, p. 94, fig. 2E.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Bythocythere* SARS, 1866*Bythocythere kueneni* KEY

*Bythocythere kueneni* KEY. Guha, 1968a, p. 63, pl. 5, fig. 2.

*Age* : Middle—Upper Miocene

*Distribution* : Andaman Islands.

Genus *Callistocythere* RUGGIERI, 1953

*Callistocythere* sp. cf. *C. flavidofusca intricatoides* (RUGGIERI)

*Callistocythere* sp. cf. *C. flavidofusca intricatoides* (RUGGIERI). Jain, 1978a, p. 94, fig. 2I 1-2.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Carinocythereis* RUGGIERI, 1956Subgenus *Carinocythereis* RUGGIERI, 1956*Carinocythereis* (*C.*) *batei* JAIN

*Carinocythereis* (*C.*) *batei* JAIN, 1978a., p. 108, fig. 3 I 1-5 ; 6 H.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

*Carinocythereis* (*C.*) *hamata* (KINGMA, not Mueller)

*Trachyleberis hamata* (MULLER) Guha, 1968c, p. 214, pl. 1, fig. 9.

*Carinocythereis* (*C.*) *hamata* (KINGMA). Bhatia & Kumar, 1979, p. 173, pl. 2, fig. 5.

*Age* : Pliocene—Recent.

*Distribution* : Tamil Nadu ; Off Karwar, West Coast of India.

*Carinocythereis* (*C.*) sp. cf. (*C.*) *hamata* (KINGMA)

*Carinocythereis* (*B.*) sp. cf. *C. (C.) hamata* (KINGMA). Jain, 1978a, p. 108, fig. 3 H.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Subgenus *Tandonella* JAIN, 1978*Carinocythereis* (*T.*) *indica* JAIN

*Carinocythereis* (*T.*) *indica* JAIN, 1978 a, p. 110, fig. 3 J 1-3, 6I ; Bhatia and Kumar, 1979, p. 173, pl. 3, fig. 6.

*Age* : Recent.

*Distribution* : Mandvi and Off Karwar, West Coast of India.

Genus *Caudites* CORYELL & FIELDS, 1937*Caudites gujaratensis* KHOSLA

*Caudites gujaratensis* KHOSLA, 1978, p. 262, pl. 3, fig. 11-12.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Caudites javana* KINGMA

*Caudites javana* KINGMA. Guha, 1968a, p. 64, pl. 5, fig. 13, 19 ; Jain, 1978a. p. 122, fig. 4F 1-3.

*Age* : Middle Miocene—Recent.

*Distribution* : Andaman Islands ; Mandvi, West Coast of India.

*Caudites* sp.

*Caudites* sp. Singh et al., 1972, p. 293.

*Age* : Pliocene.

*Distribution* : Andaman Islands.

?*Caudites* sp.

? *Caudites* sp. Jain, 1978a, p. 122, fig. 4 G 1-2.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Chrysocythere* RUGGIERI, 1961*Chrysocythere keiji* JAIN

*Chrysocythere keiji* JAIN, 1978a. p. 113, fig. 3 L 1-2 ; 6 K ; Bhatia & Kumar, 1979, p. 173, pl. 3, fig. 6-8.

*Age* : Recent.

*Distribution* : Mandvi and Off Karwar, West Coast of India.

Genus *Cletocythereis* SWAIN, 1963*Cletocythereis rastromarginata* (BRADY)

*Cletocythereis rastromarginata* (BRADY). Guha, 1975, p. 19, pl. 1, fig. 17-18 ; Guha & Rao, 1976, p. 92 ; Khosla, 1978, p. 268, pl. 4, fig. 11.

*Age* : Upper Oligocene—Lower Miocene.

*Distribution* : Gujarat ; Bombay Off-shore ; Kerala.

Genus *Clithrocyptheridea* STEPHENSON, 1936*Clithrocyptheridea manifesta* LUBIMOVA & GUHA

*Clithrocyptheridea manifesta* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 29, pl. 2, fig. 8a-b.

*Clithrocyptherides\** *manifesta*, Guha, 1975, p. 14.

*Age* : Oligocene—Lower Miocene.

*Distribution* : Gujarat ; Bombay off-shore.

Genus *Conchoecia* DANA, 1849*Conchoecia concentrica* MUELLER

*Conchoecia concentrica* MUELLER. James, 1971.

*Age* : Recent.

*Distribution* : Laccadive Sea ; Southwest Coast of India.

\*Misspelled by the author

*Conchoecia porrecta* CLAUS*Conchoecia porrecta* CLAUS, JAMES, 1971.*Age* : Recent.*Distribution* : Laccadive Sea ; Southwest Coast of India.*Genus Copytus* SKOGSBERG, 1939*Copytus* sp. cf. *C. rara* MCKENZIE*Copytus* sp. of *C. rara* Mckenzie. Jain, 1978 a, p. 105, fig. 3D 1-2.*Age* : Recent.*Distribution* : Mandvi West Coast of India.*Genus Costa* NEVIANI, 1928*Costa cambayensis* GUHA*Costa cambayensis* GUHA, 1967b, p. 20, pl. 1, fig. 5, 11.*Age* : Oligocene.*Distribution* : Gujarat.*Costa* sp. aff. *C. cambayensis* GUHA*Costa* sp. aff. *cambayensis* GUHA, 1971, p. 20, pl. 1, fig. 2, 4, 12, 16.*Age* : Upper Eocene.*Distribution* : Gujarat.*Genus Cuneocythere* LIENENKLAUS, 1894*Subgenus Monsmirabilia* APOSTOLESCU, 1955*Cuneocythere (M.) keiji* GUHA & SHUKLA*Cuneocythere (M.) keiji* GUHA & SHUKLA, 1973, p. 100, pl. 1, fig. 5, 15, 21.*Age* : Upper Paleocene.*Distribution* : Tamil Nadu.*Cuneocythere (M.)* sp.*Cuneocythere (M.)* sp. Khosla, 1972, p. 486, pl. 1, fig. 16.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Genus Cushmanidea* BLAKE, 1933*Cushmanidea guhai* JAIN*Cushmanidea guhai* Jain, 1978a, p. 100, fig. 3A 1-4 ; 6 D.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Cushmanidea tewarii* KHOSLA*Cushmanidea tewarii* KHOSLA, 1972, p. 484, pl. 1, fig. 17-18 ; pl. 4 fig. 1.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Genus Cyprideis* JONES, 1857*Cyprideis mandviensis* JAIN*Cyprideis mandviensis* JAIN, 1978a, p. 98, fig. 2L 1-4 ; 6 B ; Jain, M. S.*Age* : Upper Oligocene ; Recent.*Distribution* : Gujarat ; Mandvi, West Coast of India.*Genus Cytherella* JONES, 1849*Cytherella* sp. cf. *C. beyrichi* (REUSS)*Cytherella* cf. *beyrichi* (REUSS). Mamgain & Chatterjee, 1977, p. 48, pl. 9, fig. C-D.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Cytherella compressa* (MUNSTER)*Cytherella compressa* (MUNSTER). Bhatia & Mandwal, 1960, p. 282, pl. 41, fig. 12.*Age* : Lower Miocene.*Distribution* : Gujarat.*Cytherella* sp. cf. *C. compressa* (MUNSTER)*Cytherella* cf. *compressa* (MUNSTER). Mamgain & Chatterjee, 1977 p. 48, pl. 9, fig. A-B.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Cytherella* sp. cf. *C. munsteri* (ROEMER)*Cytherella* sp. cf. *munsteri* (ROEMER). Jain, 1978 b, p. 52, pl. 1, fig. 1.*Age* : Lower Eocene.*Distribution* : Andhra Pradesh.*Cytherella palanaensis* KHOSLA*Cytherella palanaensis* KHOSLA, 1972. p. 482, pl. 1, fig. 1-2 ; pl. 5, fig. 1.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Cytherella protuberans* LUBIMOVA & GUHA*Cytherella protuberantis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 17, pl. 1, fig. 3 ; Guha, 1965, p. 144, pl. 11, fig. 1 ; Guha et al., 1965, p. 13, pl. 3, fig. 1 ; Guha 1968a, p. 210, pl. 1, fig. 1 ; Singh & Misra, 1967, p. 36, pl. 11, fig. 5-7 ; Srivastava, 1968, p. 141, fig. 4-6 ; Khosla, 1972, p. 483, pl. 1, fig. 3. *Cytherella protuberans* LUBIMOVA & GUHA. Khosla, 1978, p. 255, pl. 1, fig. 1.*Age* : Lower Eocene—Lower Miocene.*Distribution* : Gujarat ; Bombay off-shore ; Tamil Nadu ; Meghalaya.*Cytherella rajasthanica* MAMGAIN & CHATTERJEE*Cytherella rajasthanica* MAMGAIN & CHATTERJEE, 1977, p. 48, pl. 9, fig. E, G.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Cytherella rajui* GUHA & SHUKLA*Cytherella rajui* GUHA & SHUKLA, 1973. p. 95, pl. 1, fig. 4, 19.*Age* : Upper Paleocene—Lower Eocene.*Distribution* : Tamil Nadu.*Cytherella* sp. cf. *C. semitalis* BRADY*Cytherella* sp. cf. *C. semitalis* BRADY. Jain, 1978 a, p. 90, fig. 2A.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Cytherella tawaica* SINGH & TEWARI*Cytherella tawaica* SINGH & TEWARI, in Tewari & Singh, 1967, p. 127, pl. 2, fig. 3a-d ; Khosla, 1972, p. 482, pl. 1, fig. 4.*Age* : Lower Eocene.*Distribution* : Jammu ; Rajasthan.*Cytherella* sp.*Cytherella* sp. Guha, 1965, p. 144, pl. 11, fig. 3.*Age* : Oligocene.*Distribution* : Gujarat.*Cytherella* sp.*Cytherella* sp. Khosla, 1972, pl. 482, pl. 1, fig. 5.*Age* : Lower Eocene.*Distribution* : Rajasthan.

*Cytherella* sp. indet.

*Cytherella* sp. indet. Tewari & Bhargava, 1968, p. 30, pl. 11, fig. 8 a, b.

Age : Oligocene.

Distribution : Gujarat.

*Cytherella* sp.

*Cytherella* sp. Khosla, 1978, p. 256, pl. 1, fig. 2-3.

Age : Lower Miocene.

Distribution : Gujarat.

Genus *Cytherelloidea* ALEXANDER. 1929

*Cytherelloidea cambayensis* GUHA

*Cytherelloidea cambayensis* GUHA, 1965, p. 145, pl. 11, fig. 6, 8 ; text-fig. 2.

Age : Oligocene.

Distribution : Gujarat.

*Cytherelloidea chaasraensis* GUHA

*Cytherelloidea chaasraensis* GUHA, 1961, p. 2, fig. 1 ; Guha 1975 ; p. 11 ; Khosla, 1978, p. 256, pl. 1, fig. 4.

Age : Middle Oligocene—Lower Miocene.

Distribution : Gujarat ; Bombay off-shore.

*Cytherelloidea cingulata* (BRADY)

*Cytherelloidea cingulata* (BRADY). Guha, 1968a, p. 58, pl. 4, fig. 1.

Age : Middle—Upper Miocene.

Distribution : Andaman Islands.

*Cytherelloidea costatruncata* LUBIMOVA & MOHAN

*Cytherelloidea costatruncata* LUBIMOVA & MOHAN, in Lubimova, Guha & Mohan, 1960, p. 20, Pl. 1, fig. 7.

*Cytherelloidea barkhanensis* TEWARI & TANDON, 1960, p. 160, text-fig. 5, fig. 6a-b ; text-fig. 6, fig. 1.

*Cytherelloidea* aff. *C. cingulata* BHATIA & MANDWAL, 1960, p. 283, pl. 41, fig. 14 a-b [not *Cytherelloidea cingulata* (Brady)].

*Cytherelloidea costatruncata* LUBIMOVA & MOHAN. Guha, 1967 ; Guha, 1975, p. 14 ; Guha & Rao, 1976, p. 92 ; Khosla, 1978, p. 256, pl. 1, fig. 8.

Age : Oligocene—Lower Miocene.

Distribution : Gujarat ; Bombay off-shore ; Kerala.

*Cytherelloidea cutchensis* LUBIMOVA & GUHA

*Cytherelloidea cutchensis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 18, pl. 1, fig. 5a-b ; Guha, 1965, p. 146, pl. 11, fig. 11, 16 ; Guha et al., 1965, p. 13, pl. 3, fig. 2 ; Guha, 1967a ; Guha 1968b, p. 210 pl. 1, fig. 2 ; Guha, 1975, p. 14 ; Guha & Rao, 1976, p. 93 ; Khosla, 1978, p. 257, pl. 1, fig. 5.

Age : Middle Eocene—Lower Miocene.

Distribution : Gujarat ; Bombay off-shore ; Kerala.

*Cytherelloidea guhai* KHOSLA

*Cytherelloidea guhai* KHOSLA 1972, p. 483, pl. 1, fig. 6-7 ; pl. 5, fig. 2.

Age : Lower Eocene.

Distribution : Rajasthan.

*Cytherelloidea guzeratensis* GUHA

*Cytherelloidea guzeratensis* GUHA, 1965 ; p. 146, pl. 11, fig. 7, 10, text-fig. 3.

Age : Middle—Upper Eocene.

Distribution : Gujarat.

*Cytherelloidea* sp. aff. *C. guzeratensis* GUHA

*Cytherelloidea* sp. aff. *C. guzeratensis* GUHA, 1965, p. 147, pl. 11, fig. 17, text-fig. 4.

Age : Middle—Upper Eocene.

Distribution : Gujarat.

*Cytherelloidea insolens* LUBIMOVA & GUHA

*Cytherelloidea insolens* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 19, pl. 1, fig. 6a-b ; Guha, 1965, p. 144, pl. 11, fig. 4, 9 ; Guha, 1967a ; Guha, 1968b, p. 83

*Cytherelloidea insolens* LUBIMOVA & GUHA. Khosla, 1978, p. 257 pl. 1, fig. 6.

Age : Middle Eocene—Lower Miocene.

Distribution : Gujarat.

*Cytherelloidea* sp. cf. *C. keiji* MCKENZIE

*Cytherelloidea bhatiae* GUHA & SHUKLA, 1973, p. 96, pI, 11, fig. 10.

*Cytherelloidea* sp. cf. *C. keiji* MCKENZIE. Jain, 1978b, p. 52, pl. 1, fig. 2, 3.

Age : Lower Eocene.

Distribution : Tamil Nadu ; Andhra Pradesh.

*Cytherelloidea lubimovae* GUHA & RAO

*Cytherelloidea lubimovae* GUHA & RAO, 1976, p. 96, pl. 1, fig. 6, 7.

Age : Middle—Upper Miocene.

Distribution : Bombay off-shore.

*Cytherelloidea* sp. cf. *C. praecipua* BOLD

*Cytherelloidea* sp. cf. *C. praecipua* BOLD. Khosla, 1978, p. 257, pl. 1 fig. 7.

Age : Lower Miocene.

Distribution : Gujarat.

*Cytherelloidea* sp. aff. *C. tewarii* BOLD

*Cytherelloidea* sp. aff. *C. tewarii* BOLD. Guha, 1965, p. 148, pl. 11, fig. 13, 14 ; Srivastava, 1968, p. 141, fig. 7.

Age : Middle—Upper Eocene.

Distribution : Gujarat ; Meghalaya.

*Cytherelloidea vridhachalamensis* GUHA & SHUKLA

*Cytherelloidea vridhachalamensis* GUHA & SHUKLA, 1973, p. 96, pl. 1, fig. 9.

Age : Middle—Upper Paleocene.

Distribution : Tamil Nadu.

? *Cytherelloidea* sp.

?*Cytherelloidea* sp. Mamgain & Chatterjee, 1977, p. 49, pl. 9, fig. H.

Age : Lower Eocene.

Distribution : Rajasthan.

Genus *Cytheretta* G. W. MUELLER, 1894

*Cytheretta maddocksa* JAIN

*Cytheretta maddocksa* JAIN, 1978a, p. 123, fig. 4H 1-4 ; 6 N.

Age : Recent.

Distribution : Mandvi, West Coast of India.

Genus *Cytheridea* BOSQUET, 1852

?“*Cytheridea*” sp. indet.

?“*Cytheridea*” sp. indet. Jain, 1978b, p. 53, pl. 1, fig. 6.

Age : Lower Eocene.

Distribution : Andhra Pradesh.

**Genus** *Cytheromorpha* HIRSCHMANN, 1901  
*Cytheromorpha kirtharensis* GUHA  
*Cytheromorpha kirtharensis* GUHA, 1968b, p. 84 pl. 1, fig. 5, 7, 19.  
**Age :** Middle Eocene.  
**Distribution :** Gujarat.

**Genus** *Cytheropteron* SARS, 1866  
*Cytheropteron assimile* BRADY  
*Cytheropteron assimile* BRADY. Guha, 1968a, p. 62, pl. 5, fig. 5.  
**Age :** Pliocene.  
**Distribution :** Andaman Islands.

**Genus** *Cytheropteron kutchensis* (GUHA)  
*Cytherura kutchensis* GUHA, 1968b, p. 87, pl. 1, fig. 17, 18, 21, 22.  
*Cytheropteron kutchensis* (GUHA). Guha, 1974, p. 172.  
**Age :** Middle Eocene.  
**Distribution :** Gujarat.

**Genus** *Cytheropteron kutchensis minuta* GUHA  
*Cytheropteron kutchensis minuta* GUHA, 1974, p. 172, pl. 2, fig. 18.  
**Age :** Lower Eocene.  
**Distribution :** Gujarat.

**Genus** *Cytheropteron patagoniense* ? BRADY  
*Cytheropteron patagoniense* ? BRADY. Guha, 1968 a, p. 62, pl. 4, fig. 7 ; pl. 5, fig. 6.  
**Age :** Middle—Upper Miocene ; Pliocene.  
**Distribution :** Andaman Islands.

**Genus** *Cytheropteron* sp.  
*Cytheropteron* sp. Guha 1967 b p. 17, pl. 1.  
**Age :** Oligocene.  
**Distribution :** Gujarat.

**Genus** *Cytheropteron* sp.  
*Cytheropteron* sp. Khosla, 1972, p. 493, pl. 3, fig. 13 ; pl. 4, fig. 18.  
**Age :** Lower Eocene.  
**Distribution :** Rajasthan.

**Genus** *Cytherura* SARS, 1866  
*Cytherura interposita* LUBIMOVA & GUHA  
*Cytherura interposita* LUBIMOVA & GUHA, in Lubimova, Guha and Mohan, 1960, p. 51, pl. 4, fig. 9a-b, Guha *et al.*, 1965, p. 4, pl. 3, fig. 7.  
**Age :** Lower Miocene.  
**Distribution :** Gujarat ; Tamil Nadu.

**Genus** *Cytherura* KINGMA  
*Cytherura sumatraensis* KINGMA  
*Cytherura sumatraensis* KINGMA. Guha, 1968c. p. 213, pl. 1, fig. 15.  
**Age :** Pleistocene.  
**Distribution :** Tamil Nadu.

**Genus** *Cytherura* sp. indet.  
*Cytherura* sp. indet. Bhatia & Mandwal, 1960, p. 281, pl. 41, fig. 4.  
**Age :** Lower Miocene.  
**Distribution :** Gujarat.

**Genus** *Cytherura* sp.  
*Cytherura* sp. Guha, 1967a .  
**Age :** Lower Miocene.  
**Distribution :** Gujarat.

**Genus** *Cytherura* sp.  
*Cytherura* sp. Khosla, 1972, p. 493, pl. 2, fig. 27.  
**Age :** Lower Eocene.  
**Distribution :** Rajasthan.

**Genus** *Echinocythereis* PURI, 1954  
**Subgenus** *Echinocythereis* PURI, 1954  
*Echinocythereis* (E.) *jaini* KHOSLA  
*Echinocythereis* (E.) *jaini* KHOSLA, 1972, p. 489, pl. 3, fig. 3-4 ; pl. 4, fig. 8.  
**Age :** Lower Eocene.  
**Distribution :** Rajasthan.

**Genus** *Echinocythereis* (E.) *palanaensis* KHOSLA  
*Echinocythereis* (E.) *palanaensis* KHOSLA, 1972, p. 489, pl. 3, fig. 1-2 ; pl. 4, fig. 9.  
**Age :** Lower Eocene.  
**Distribution :** Rajasthan.

**Subgenus** *Scelidocythereis* SIDDIQUI, 1971  
*Echinocythereis* (S.) *sahnii* (TEWARI & TANDON)  
*Hemicythere sahnii* TEWARI & TANDON, 1960, p. 157, text-fig. 4, fig. la-d ; Guha, 1968b, p. 83 ; Tewari & Bhargava, 1968, p. 29, pl. 11, fig. 2a-b ; Khosla, 1972, p. 493, pl. 2, fig. 26.  
*Echinocythereis* (S.) *sahnii* (TEWARI & TANDON) Siddiqui, 1971, p. 71.  
**Age :** Middle Eocene—Oligocene.  
**Distribution :** Gujarat ; Rajasthan.

**Genus** *Eucythere* BRADY, 1868  
*Eucythere* sp.  
*Eucythere* sp. Guha, 1967a, p. 35, text-fig. 1-2.  
**Age :** Lower Miocene.  
**Distribution :** Gujarat.

**Genus** *Eucytherura* G. W. MUELLER, 1894  
*Eucytherura boldi* GUHA & SHUKLA  
*Eucytherura boldi* GUHA & SHUKLA, 1973, p. 100, p. 1, fig. 14, 22.  
**Age :** Upper Palaeocene.  
**Distribution :** Tamil Nadu.

**Genus** *Eucytherura complexa* (BRADY)  
*Eucytherura complexa* (BRADY). Guha, 1968a, p. 62, pl. 5, fig. 8.  
**Age :** Pliocene.  
**Distribution :** Andaman Islands.

**Genus** *Eucytherura vimali* (SINGH & MISRA)  
*Schizocythere vimali* SINGH & MISRA, 1968, p. 29, pl. 7, fig. 8-10  
*Eucytherura vimali* (SINGH & MISRA). KHOSLA, 1972, p. 494, pl. 3, fig. 12 ; pl. 4, fig. 16.  
**Age :** Lower Eocene.  
**Distribution :** Rajasthan.

**Genus** *Flexus* NEVIANI, 1928  
*Flexus* *trifurcata* (LUBIMOVA & GUHA)  
*Cytheretta trifurcata* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 45, pl. 4, fig. 3 ; Guha, 1968c, p. 209, pl. 1, fig. 14, 18 ; Guha, 1975, p. 14.  
*Cytherelloidea* sp. indet. Bhatia & Mandwal, 1960, p. 283, pl. 41, fig. 13.  
*Cytherelloidea kathiawarensis* TEWARI & TANDON 1960, p. 160, text-fig. 5, fig. 5.

*Cytheretta (Flexus) trifurcata* (LUBIMOVA & GUHA). Khosla, 1978, p. 271, pl. 3, fig. 3-4.

*Age* : Upper Oligocene—Lower Miocene.

*Distribution* : Gujarat ; Tamil Nadu ; Bombay off-shore.

*Genus Gujaratella KHOSLA*, 1978

*Gujaratella bhandarii KHOSLA*

*Gujaratella bhandarii KHOSLA*, 1978, p. 263, pl. 3, fig. 19-20.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Gujaratella boldi KHOSLA*

*Gujaratella boldi KHOSLA*, 1978, p. 263, pl. 3, fig. 17-18. pl. 6, fig. 14.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Gujaratella* sp.

*Gujaratella* sp. Khosla, 1978, p. 264, pl. 3, fig. 21-22 ; pl. 6, fig. 15.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Genus Gyrocythere SIDDIQUI*, 1971

*Gyrocythere siddiquii KHOSLA*

*Gyrocythere siddiquii KHOSLA*, 1978, p. 269, pl. 4, fig. 5.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Genus Haplocytheridea STEPHENSON*, 1936

*Haplocytheridea keyseri JAIN*

*Haplocytheridea keyseri JAIN*, 1978a, p. 99, fig. 2M 1-5 ; 5 C.  
*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

*Haplocytheridea ? saurashrensis TEWARI & TANDON*

*Haplocytheridea saurashrensis TEWARI & TANDON*, 1960, p. 152, text-fig. 6, fig. 4 a-e.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Genus Havanardia POKORNY*, 1968

*Havanardia indica KHOSLA*

*Havanardia indica KHOSLA*, 1978, p. 258, pl. 2, fig. 1-3.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Genus Hemicyprideis MALZ & TRIEBEL*, 1970

*Hemicyprideis autonoma* (LUBIMOVA & GUHA)

*Clythrocytheridea\* autonoma* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 28, pl. 2, fig. 7.

*Hemicyprideis autonoma* (LUBIMOVA & GUHA). Khosla, 1978, p. 271, pl. 2, fig. 13 ; pl. 6, fig. 6.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Hemicyprideis kachharai KHOSLA*

*Hemicyprideis kachharai KHOSLA*, 1978, p. 272, pl. 3, fig. 1-2 ; pl. 6, fig. 5.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Hemicyprideis panti KHOSLA*

*Hemicyprideis panti KHOSLA*, 1978, p. 271, pl. 2, fig. 17 ; pl. 6, fig. 7.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Genus Hemicythere SARS*, 1925

*Hemicythere cauveriensis* GUHA

*Hemicythere cauveriensis* GUHA, 1968c, p. 215, pl. 2, fig. 15-18.

*Age* : Lower Miocene.

*Distribution* : Tamil Nadu.

*Hemicythere packardi* (BRADY)

*Hemicythere packardi* (BRADY). Guha, 1968a, p. 65, pl. 5, fig. 15 ; Guha, 1975, p. 17, pl. 1, fig. 9.

*Age* : Pliocene.

*Distribution* : Bombay off-shore ; Andaman Islands.

*Genus Hemicytheridea KINGMA*, 1948

*Hemicytheridea paiki* JAIN

*Hemicytheridea paiki* JAIN, 1978a, p. 94, fig. 2F 1-4 ; 6 A.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

*Genus Hemicytherura ELOFSON*, 1941

*Hemicytherura* sp.

*Hemicytherura* sp. Jain 1978a. p. 127, fig. 5 E.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

*Genus Hemikrithe BOLD*, 1950

*Hemikrithe peterseni* JAIN

*Hemikrithe peterseni* JAIN, 1978a, p. 101, fig. 3B 1-2 ; 6 E.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

*Genus Henryhowella Puri*, 1957

*Subgenus Neohenryhowella BHATIA & KUMAR*, 1979

*Henryhowella (Neohenryhowella) hartmanni* (JAIN)

*Actinocythereis tumefacientis* HONAPPA, 1975, p. 424, pl. 1, fig. 1-4 ; pl. 2, fig. 1-4 ; pl. 3, fig. 1-3 (not Lubimova & Guha).

*Henryhowella hartmanni* JAIN, 1978a, p. 106, fig. 3F 1-4 ; 6 G.

*Henryhowella (Neohenryhowella) hartmanni* (JAIN). Bhatia & Kumar, 1979, p. 174, pl. 3, fig. 1-3.

*Age* : Recent.

*Distribution* : Mandvi ; Mangalore and Karwar, off West Coast of India.

*Genus Hermanites PURI*, 1955

*Hermanites anastomosa* (RAJAGOPALAN)

*Cythereis anastomosa* RAJAGOPALAN, 1962, p. 65, pl. 3, fig. 9-11.

*Hermanites anastomosa* (RAJAGOPALAN). Guha & Shukla, 1973, p. 98.

*Age* : Middle Palaeocene—Lower Eocene.

*Distribution* : Pondicherry ; Tamil Nadu.

\*misspelled by the authors.

*Hermanites avadhesi* (SINGH & MISRA)

*Cythereis avadhesi* SINGH & MISRA, 1968, p. 35, pl. 10, fig. 6-8.  
*Hermanites avadhesi* (SINGH & MISRA) Guha, 1974, p. 163.

*Age* : Lower Eocene.

*Distribution* : Rajasthan ; Gujarat.

*Hermanites sp. cf. H. cracens* SIDDIQUI

*Hermanites sp. cf. H. cracens* SIDDIQUI. Jain, 1978b, p. 54, p. 1, fig. 13 ; pl. 2, fig. 1-2.

*Age* : Lower Eocene.

*Distribution* : Andhra Pradesh.

*Hermanites goeli* KHOSLA

*Hermanites goeli* KHOSLA, 1972, p. 489, pl. 2, fig. 15-16 ; pl. 4, fig. 14 ; pl. 5, fig. 5.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

*Hermanites indica* TEWARI & TANDON

*Hermanites indica* TEWARI & TANDON, 1960, p. 158, text-fig. 4, fig. 3 a-c.

*Hermanites wadiai* SINGH & TEWARI, in Tewari & Singh, 1967, p. 125, pl. 3, fig. 6 a-c.

*Hermanites indica* TEWARI & TANDON. Guha, 1968b, p. 83.

*Age* : Lower—Middle Eocene.

*Distribution* : Gujarat ; Jammu.

*Hermanites mathuri* KHOSLA

*Hermanites mathuri* KHOSLA, 1972, p. 490, pl. 2, fig. 17-18 ; pl. 4, fig. 13 ; pl. 5, fig. 6.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

*Hermanites sp. cf. H. paierenborchianus* KEIJ

*Hermanites sp. cf. H. paierenborchianus* KEIJ. Khosla, 1978, p. 269, pl. 4, fig. 10.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Hermanites pondicherriensis* RAJAGOPALAN

*Hermanites pondicherriensis* RAJAGOPALAN, 1962, p. 66 pl. 2, 3, fig. 1-6 ; Guha & Shukla, 1973, p. 98.

*Age* : Upper Palaeocene—Lower Eocene.

*Distribution* : Pondicherry ; Tamil Nadu.

*Hermanites purii* TEWARI & TANDON

*Hermanita purii* TEWARI & TANDON, 1960, p. 158, text-fig. 5, fig. 1 a-b.

*Hermanites purii* TEWARI & TANDON. Guha, 1967a ; Tewari & Singh, 1967, p. 126, pl. 3, fig. 4 a-c ; Tewari & Bhargava, 1968, p. 30, pl. 11, fig. 6 a-b ; Khosla, 1978, p. 269, pl. 4, fig. 14.

*Age* : Lower Eocene—Lower Miocene.

*Distribution* : Gujarat ; Jammu.

*Hermanites sastryi* BHALLA

*Hermanites sastryi* BHALLA, 1980, p. 298, pl. 1, fig. 1-6.

*Age* : Lower Eocene.

*Distribution* : Andhra Pradesh.

*Hermanites ? tamulicus* (RAJAGOPALAN)

*Cythereis tamulicus* RAJAGOPALAN, 1962, p. 66, pl. 3, fig. 12-15.

*Age* : Upper Paleocene.

*Distribution* : Pondicherry.

*Hermanites sp. aff. H. tschoppi* (BOLD)

*Hermanites aff. H. haidingeri* (REUSS). Bhatia & Mandwal, 1960, p. 282, pl. 41, fig. 7 a-b. [not *Hermanites haidingeri* (REUSS)].

*Age* : Lower Miocene.

*Distribution* : Gujarat.

Genus *Hiltermannicythere* BASSOUNI, 1970*Hiltermannicythere* sp.

*Hiltermannicythere* sp. Khosla, 1978, p. 269, pl. 4, fig. 12-13.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

## Genus Indet.

## Indet. Genus B. sp.

Indet. Genus B sp. Jain, 1978a, p. 132, fig. 5 N.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

## Indet. Genus C sp.

Indet. Genus C sp. Jain, 1978a, p. 132, fig. 50.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

## Indet. Genus D. sp.

Indet. Genus D sp. Jain, 1978a, p. 132, fig. 5, P. 1-2.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Jainella* BHATIA & KUMAR, 1979*Jainella karwarensis* BHATIA & KUMAR

*Jainella karwarensis* BHATIA & KUMAR, 1979, p. 157, pl. 2, fig. 6-8.

*Age* : Recent.

*Distribution* : Off Karwar, West Coast of India.

Genus *Jugosocythereis* PURI, 1957*Jugosocythereis prava* (BAIRD)

*Trachyleberis prava?* (BAIRD). Guha, 1968a, p. 65, pl. 5, fig. 16.

*Age* : Middle Upper—Miocene ; Pliocene.

*Distribution* : Andaman Islands.

*Jugosocythereis* ? sp.

*Jugosocythereis* ? sp. TEWARI & TANDON, 1960, p. 156, text-fig. 3, fig. 5.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

Genus *Kalingella* JAIN, 1976*Kalingella mckenziei* JAIN

*Kalingella mckenziei* JAIN, 1976, p. 131, pl. 2 I-K

*Age* : Recent.

*Distribution* : Chilka, East Coast of India.

Genus *Kangarina* CORYELL & FIELDS, 1937*Kangarina abyssicola* (MUELLER)

*Kangarina abyssicola* (MUELLER). Guha, 1968a, p. 62, pl. 4, fig. 14 ; Jain, 1978a, p. 128, fig. 5G 1-2.

*Age* : Middle—Upper Miocene ; Pliocene ; Recent.

*Distribution* : Andaman Islands ; Mandvi, West Coast of India.

Genus *Keijella* RUGGIERI, 1967*Keijella ex grp. darwini* (BRADY)*?Leguminocythereis* sp. Jain, 1978a, p. 119, fig. 4 Dl-4.*Keijella ex grp. darwini* (BRADY). Bhatia & Kumar, 1979, p. 173, pl. 2, fig. 1-2.

Age : Recent.

Distribution : Mandvi, and Off Karwar, West Coast of India.

Genus *Keijella nealei* JAIN*Keijella nealei* JAIN, 1978a, p. 117, fig. 4B 1-3; 6M; Bhatia & Kumar, 1979, p. 173, pl. 2, fig. 1-2.

Age : Recent.

Distribution : Mandvi and Off Karwar, West Coast of India.

Genus *Keijella oertlii* JAIN*Keijella oertlii* JAIN, 1976, p. 132, pl. 2, G-H.

Age : Recent.

Distribution : Chilka, East Coast of India.

Genus *Kingmaina* KEIJ, 1957*Kingmaina markensis* (TEWARI & TANDON)*Pterygocythereis markensis* TEWARI & TANDON, 1960, p. 154. text-fig. 3, fig. 3a-c.

Age : Middle Eocene.

Distribution : Gujarat.

Genus *Kingmaina sastrii* GUHA & SHUKLA*Kingmaina sastrii* GUHA & SHUKLA, 1973, p. 99, pl. 2, fig. 4-7.

Age : Upper Palaeocene—Lower Eocene.

Distribution : Tamil Nadu.

Genus *Krithe* BRADY, CROSSKEY & ROBERTSON, 1874Genus *Krithe autochthona* LUBIMOVA & GUHA*Krithe autochthona* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 25, pl. 2, fig. 4 ; Guha, 1968b, p. 83 ; Guha, 1968c, p. 213, pl. 2, fig. 2 ; Guha, 1974, p. 171 ; Guha, 1975, p. 14 ; Guha & Rao, 1976, p. 94, pl. 1, fig. 8 ; Khosla, 1978, p. 272, pl. 2, fig. 18-20 ; pl. 6, fig. 10.

Age : Lower Eocene—Lower Miocene.

Distribution : Gujarat ; Bombay off-shore ; Kerala ; Tamil Nadu.

Genus *Krithe bartonensis* (JONES)*Krithe bartonensis* (JONES). Guha, 1968a, p. 3, pl. 5, fig. 3, 7; Khosla, 1972, p. 485, pl. 1, fig. 19.

Age : Lower Eocene ; Pliocene.

Distribution : Andaman Islands ; Rajasthan.

Genus *Krithe* sp. cf. *K. cancuensis* BOLD*Krithe* sp. cf. *K. cancuensis* BOLD. Khosla, 1972, p. 485, pl. 1, fig. 20.

Age : Lower Eocene.

Distribution : Rajasthan.

Genus *Krithe indica* TEWARI & TANDON*Krithe indica* TEWARI & TANDON, 1960, p. 152, text-fig. 2, fig. 5a-b ; Tewari & Singh, 1967, p. 122, pl. 2, fig. 6a-d ; Tewari & Bhargava, 1968, p. 29, pl. 11, fig. 4a-b ; Khosla, 1972, p. 485, pl. 1, fig. 25.

Age : Lower Eocene—Oligocene.

Distribution : Gujarat ; Rajasthan ; Jammu.

Genus *Krithe indica kutchensis* TEWARI & TANDON*Krithe indica* var. *kutchensis* TEWARI & TANDON, 1960, p. 157, text-fig. 6, fig. 2a-b.

Age : Lower Miocene.

Distribution : Gujarat.

Genus *Krithe kroemmelbeini* JAIN*Krithe kroemmelbeini* JAIN, 1978a, p. 104, fig. 3C 1-3 ; 6F ; Bhatia & Kumar, 1979, p. 173, pl. 3, fig. 4.

Age : Recent.

Distribution : Mandvi, and Off Karwar, West Coast of India.

Genus *Krithe papillosa* (BOSQUET)*Krithe papillosa* (BOSQUET). Bhatia & Mandwal, 1960, p. 282, pl. 41, fig. 11 ; Khosla, 1978, p. 273, pl. 2, fig. 21.

Age : Lower Miocene.

Distribution : Gujarat.

Genus *Krithe radiolata* EGGER*Krithe radiolata* EGGER. Guha, 1975, p. 18, pl. 1, fig. 6.

Age : Upper Oligocene—Lower Miocene.

Distribution : Bombay off-shore.

Genus *Krithe tumida* BRADY*Krithe tumida* BRADY. Guha, 1968a, p. 64, pl. 5, fig. 11.

Age : Pliocene.

Distribution : Andaman Islands.

Genus *Krithe* sp.*Krithe* sp. Guha et al., 1965, p. 4, pl. 3, fig. 6.

Age : Lower Miocene.

Distribution : Tamil Nadu.

Genus *Krithe* sp.*Krithe* sp. Mathur, 1969, p. 38, pl. 2, fig. 4, 4a, 5, 5a.

Age : Middle Eocene.

Distribution : Himachal Pradesh.

Genus *Lankacythere* BHATIA & KUMAR, 1979Genus *Lankacythere coralloides* (BRADY)*Lankacythere coralloides* (BRADY). Bhatia & Kumar, 1979, p. 176,

pl. 1, fig. 1-5.

Age : Recent.

Distribution : Mandvi and Off Karwar, West Coast of India.

Genus *Leguminocythereis* HOWE, 1936Genus *Leguminocythereis lunejensis* GUHA*Leguminocythereis lunejensis* GUHA, 1967b, p. 21, pl. 1, fig. 3, 6, 8.*Jawaharia indica* SINGH & MISRA, 1968, p. 27, pl. 7, fig. 1-4.*Leguminocythereis brahami* SINGH & MISRA, 1968, p. 28, pl. 7, fig. 5-7.*Leguminocythereis lunejensis* GUHA. Mathur, 1969, p. 37, pl. 2, fig. 1-1a. ; Khosla, 1972, p. 490, pl. 2, fig. 9 ; pl. 4, fig. 7.

Age : Lower Eocene—Lower Oligocene.

Distribution : Gujarat ; Himachal Pradesh ; Rajasthan.

*? Leguminocythereis papuensis* (BRADY)*Leguminocythereis papuensis* (BRADY). Jain 1978a, p. 118, fig. 4 Cl-3.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Loxoconcha gruendeli* JAIN*Loxoconcha gruendeli* JAIN, 1978a, p. 124, fig. 4 J 1-3.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Leguminocythereis* sp.*Leguminocythereis* sp. Mathur, 1969, p. 37, pl. 2, fig. 2, 2a.*Age* : Middle Eocene.*Distribution* : Himachal Pradesh.*Genus Leptocythere* SARS, 1928*Leptocythere affinis* LUBIMOVA & MOHAN*Leptocythere affinis* LUBIMOVA & MOHAN, in Lubimova, Guha & Mohan 1960, p. 26, pl. 2, fig. 5a-b ; Guha, 1967a ; Guha, 1975, p. 14, pl. 1, fig. 7.*Age* : Lower Miocene.*Distribution* : Gujarat ; Bombay off-shore.*Leptocythere chadopadiensis* LUBIMOVA & GUHA*Leptocythere chadopadiensis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 27, pl. 2, fig. 6a-b ; Guha, 1967 a ; Khosla, 1978, p. 262, pl. 2, fig. 12.*Age* : Lower Miocene.*Distribution* : Gujarat.*Leptocythere ? inconspicua* (BRADY)*Leptocythere inconspicua* (BRADY). Guha, 1968a p. 60, pl. 4, fig. 10.*Age* : Middle—Upper Miocene ; Pliocene.*Distribution* : Andaman Islands.*Genus Limnocythere* BRADY, 1868*Limnocythere* sp. indet.*Limnocythere* sp. indet. Jain, 1978 b, p. 54, pl. 2, fig. 3-5.*Age* : Lower Eocene.*Distribution* : Andhra Pradesh.*Genus Loxoconcha* SARS, 1866*Loxoconcha alata* BRADY*Loxoconcha alata* BRADY. Guha, 1968a, p. 61, pl. 5, fig. 5, 13 ; Guha, 1975, p. 18, pl. 1, fig. 11, 21.*Age* : Upper Oligocene—Pliocene.*Distribution* : Andaman Islands ; Bombay off-shore.*Loxoconcha* sp. cf. *L. alata* BRADY*Loxoconcha* sp. cf. *L. alata* BRADY. Khosla, 1978, p. 275, pl. 5, fig. 12-13.*Age* : Lower Miocene.*Distribution* : Gujarat.*Loxoconcha confinis* (LUBIMOVA & GUHA)*Cytheropteron confinis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 52, pl. 4, fig. 10 ; Guha, 1967a ; Guha, 1968c, p. 213, pl. 1, fig. 3.*Loxoconcha confinis* (LUBIMOVA & GUHA). Guha, 1974, p. 174 ; Guha, 1975, p. 14 ; Guha & Rao, 1976, p. 92 ; Khosla, 1978, p. 275, pl. 5, fig. 11.*Age* : Lower—Middle Miocene.*Distribution* : Gujarat ; Bombay off-shore ; Kerala ; Tamil Nadu.*Loxoconcha lilljeborchi* BRADY*Loxoconcha lilljeborchi* BRADY. Guha, 1968a, p. 61, pl. 4, fig. 20.*Age* : Middle—Upper Miocene ; Pliocene.*Distribution* : Andaman Islands.*Loxoconcha mandviensis* JAIN*Loxoconcha mandviensis* JAIN, 1978a, p. 125, fig. 4K 1-2 ; 60 ; Bhatia & Kumar, 1979, p. 174, pl. 1, fig. 8.*Age* : Recent.*Distribution* : Mandvi and Off Karwar, West Coast of India.*Loxoconcha megapora indica* JAIN*Loxoconcha megapora indica* JAIN, 1978a, p. 126, fig. 4L 1-2 ; 6P.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Loxoconcha nystiana* (BOSQUET)*Loxoconcha nystiana* (BOSQUET). Mamgain & Chatterjee, 1977, p. 46, pl. 10, fig. A-C.*Age* : Lower—Middle Eocene.*Distribution* : Rajasthan.*Loxoconcha palanaensis* MAMGAIN & CHATTERJEE*Loxoconcha palanaensis* MAMGAIN & CHATTERJEE, 1977, p. 47, pl. 19, fig. D-F.*Age* : Lower Eocene.*Distribution* : Rajasthan.*Loxoconcha punctatella* (REUSS)*Loxoconcha punctatella* (REUSS). Bhatia & Mandwal, 1960, p. 282, pl. 41, fig. 9.*Age* : Lower Miocene.*Distribution* : Gujarat.*Loxoconcha tewarrii* JAIN*Loxoconcha tewarrii* JAIN, 1976, p. 129, pl. 1 E-F ; pl. 2, E-F.*Age* : Recent.*Distribution* : Chilka, East Coast of India.*Loxoconcha* sp. A*Loxoconcha* sp. A Jain, 1978a, p. 126, fig. 5A.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Loxoconcha* sp. B*Loxoconcha* sp. B Jain, 1978a, p. 126, fig. 5B.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.*Loxoconcha* sp. C*? Loxoconcha* sp. C Jain, 1978a, p. 127, fig. 5 C.*Age* : Recent.*Distribution* : Mandvi, West Coast of India.

*Loxoconcha* sp. indet.*Loxoconcha* sp. indet. Jain, 1978b, p. 56, pl. 2, fig. 6-7.

Age : Lower Eocene.

Distribution : Andhra Pradesh.

*Loxoconcha* sp.*Loxoconcha* sp. Singh, Vimal & Kulve, 1972, p. 293, fig.

Age : Lower Pliocene.

Distribution : Andaman Islands.

Genus *Loxoconchella* TRIEBEL, 1954*Loxoconchella anomala* (BRADY)*Loxoconchella anomala* (BRADY). Jain, 1978a, p. 127, fig. 5 D.

Age : Recent.

Distribution : Mandvi, West Coast of India.

*Loxoconchella honoluluensis* (BRADY)*Loxoconchella honoluluensis* (BRADY). Guha, 1968a, p. 61, pl. 4, fig. 21 ; pl. 5, fig. 12 ; Guha, 1975, p. 19, pl. 1, fig. 16.

Age : Upper Oligocene—Upper Miocene.

Distribution : Andaman Islands ; Bombay off-shore.

Genus *Loxocorniculum* BENSON & COLEMAN, 1963*Loxocorniculum gujaratensis* KHOSLA*Loxocorniculum gujaratensis* KHOSLA, 1978, p. 275, pl. 5, fig. 18-19 ; pl. 6, fig. 3.

Age : Lower Miocene.

Distribution : Rajasthan.

Genus *Macrocypris* SARS, 1923*Macrocypris amitai* MAMGAIN & CHATTERJEE*Macrocypris amitai* MAMGAIN & CHATTERJEE, 1977, p. 45, pl. 7, fig. F. G.

Age : Lower Eocene.

Distribution : Rajasthan.

*Macrocypris decora* (BRADY)*Macrocypris decora* (BRADY). Khosla, 1978, p. 262, pl. 2, fig. 14.

Age : Lower Miocene.

Distribution : Gujarat.

Genus *Miocyprideis* KOLLMANN, 1960*Miocyprideis chaudhuryi* (LUBIMOVA & GUHA)*Cyprideis chaudhuryi* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 30, pl. 11, fig. 9.*Miocyprideis chaudhuryi* (LUBIMOVA & GUHA). Guha, 1961, p. 2, text-fig. 3, 19 ; Guha, 1965, p. 4, pl. 3, fig. 4 ; Guha, 1968c, p. 212, pl. 1, fig. 13, 24 ; Guha, 1975, p. 15 ; Guha, and Rao, 1976, p. 92 ; Khosla, 1978, p. 273, pl. 2, fig. 11 ; pl. 6, fig. 8.

Age : Oligocene—Lower Miocene.

Distribution : Gujarat ; Bombay off-shore ; Kerala, Tamil Nadu.

*Miocyprideis lubimovae* KHOSLA*Miocyprideis lubimovae* KHOSLA, 1978, p. 273, pl. 2, fig. 14-15 ; pl. 6, fig. 9.

Age : Lower Miocene.

Distribution : Gujarat.

*Miocyprideis ? spinulosa* (BRADY)*Clithocytheridea spinulosa* (BRADY). Guha, 1968c, p. 212, pl. 1, fig. 9, 11, 12.*Miocyprideis ? spinulosa* (BRADY). Bhatia et al. in Mckenzie, 1971, p. 38.

Age : Pliocene—Pleistocene.

Distribution : Tamil Nadu.

*Miocyprideis thirukkaruvensis* GUHA & RAO*Miocyprideis thirukkaruvensis* GUHA & RAO, 1976, p. 94, pl. 1, fig. 2-4.

Age : Lower Miocene.

Distribution : Kerala.

Genus *Mutilus* NEVIANI, 1928*Mutilus* sp.*Mutilus* sp. Jain, 1978a, p. 122, fig. 4E 1-2.

Age : Recent.

Distribution : Mandvi, West Coast of India.

Genus *Neocyprideis* APOSTOLESCU, 1956*Neocyprideis bhupendri* (SINGH & MISRA)*Schlredia bhupendri* SINGH & MISRA, 1968, p. 32, pl. 8, fig. 7-9.*Neocyprideis bhupendri* (SINGH & MISRA). Khosla, 1972, p. 486, pl. 1, fig. 15 ; pl. 4, fig. 2.

Age : Lower Eocene.

Distribution : Rajasthan.

Genus *Neocytheridea* RAJAGOPALAN, 1962*Neocytheridea inflata* RAJAGOPALAN*Neocytheridea inflata* RAJAGOPALAN, 1962, p. 67, pl. 4, fig. 20-24.

Age : Lower Eocene.

Distribution : Pondicherry.

Genus *Neomonoceratina* KINGMA, 1948*Neomonoceratina* sp. cf. *N. delicata* ISHIZAKI & KATO*Neomonoceratina* sp. cf. *N. delicata* ISHIZAKI & KATO. Jain, 1978a, p. 95, fig. 2G 1-2 ; Bhatia & Kumar, 1979, p. 173, pl. 1, fig. 7.

Age : Recent.

Distribution : Mandvi and off Karwar, West Coast of India.

*Neomonoceratina gajensis* GUHA*Neomonoceratina gajensis* GUHA, 1974, p. 169, pl. 1, fig. 16 ; pl. 2, fig. 15 ; Guha & Rao, 1976 p. 92 ; Khosla, 1978, p. 273, pl. 5, fig. 16, 17.

Age : Lower Miocene.

Distribution : Gujarat ; Kerala.

*Neomonoceratina koenigswaldi* KEY*Neomonoceratina koenigswaldi* KEY. Guha, 1975, p. 18, pl. 1, fig. 14, 15.

Age : Lower Miocene.

Distribution : Bombay off-shore.

*Neomonoceratina kutchensis* GUHA*Neomonoceratina kutchensis* GUHA, 1961, p. 3, fig. 12, 14, 18 ; Guha, 1968c, p. 213, pl. 11, fig. 1 ; Guha, 1975, p. 14 ; Guha & Rao, 1976, p. 92 ; Khosla, 1978, p. 274, pl. 5, fig. 15.

Age : Lower Miocene.

Distribution : Gujarat ; Bombay off-shore ; Tamil Nadu ; Kerala.

*Neomonoceratina microreticulata* KINGMA*Neomonoceratina microreticulata* KINGMA. Guha, 1968a, p. 63, pl. 4, fig. 9,14 ; Guha, 1968c, p. 213, pl. 1, fig. 21-23 ; Guha, 1975,

p. 18, pl. 1, fig. 20 ; Guha & Rao, 1976, p. 92 ; Jain, 1976, p. 130, pl. 2, A-D.

*Age* : Oligocene—Recent.

*Distribution* : Andaman Islands ; Bombay off-shore ; Kerala ; Tamil Nadu ; Chilka, East Coast of India.

**Genus Neomonoceratina oertlii GUHA**

*Neomonoceratina oertlii* GUHA, 1967b, p. 35, text-fig. 1 ; Guha, 1974, p. 158.

*Neomonoceratina* sp. cf. *N. oertlii* GUHA, 1975, p. 18, pl. 1, fig. 13, 19.

*Neomonoceratina oertlii* GUHA. Khosla 1978, p. 274, pl. 5., fig. 14.

*Age* : Upper Oligocene—Lower Miocene.

*Distribution* : Bombay off-shore ; Gujarat.

**Genus Neonesidea MADDOCKS, 1969**

**Neonesidea guildertonensis HARTMANN**

*Neonesidea guildertonensis* HARTMANN. Jain, 1978a, p. 91, fig. 2B 1-3.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

**Neonesidea** sp.

*Neonesidea* sp. Jain 1978a, p. 91, fig 2C 1-3.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

**Neonesidea** sp.

*Neonesidea* sp. Khosla, 1978, p. 258, pl. 1, fig. 13.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

**Genus Nigeroloxoconcha REYMENT, 1963**

? *Nigeroloxoconcha* sp.

? *Nigeroloxoconcha* sp. Khosla, 1972, p. 495, pl. 3, fig. 20.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

**Genus Occultocythereis HOWE, 1951**

**Occultocythereis boldi GUHA**

*Occultocythereis boldi* GUHA, 1967b, p. 17, pl. 1, fig.

*Age* : Oligocene.

*Distribution* : Gujarat.

**Occultocythereis elongatum BHALLA**

*Occultocythereis elongatum* BHALLA, 1979b, p. 146, fig. 1 A-D.

*Age* : Lower Eocene.

*Distribution* : Andhra Pradesh.

**Occultocythereis khoslai GUHA**

*Occultocythereis khoslai* GUHA, 1974, p. 165, pl. 2, fig. 6, 7.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

**Occultocythereis lauta (BRADY)**

*Occultocythereis lauta* (BRADY). Guha, 1968a, p. 60, pl. 4, fig. 16 ; Khosla, 1978, p. 270, pl. 4, fig. 15.

*Age* : Lower Miocene—Pliocene.

*Distribution* : Andaman Islands ; Gujarat.

**Occultocythereis mithali KHOSLA**

*Occultocythereis mithali* KHOSLA 1972, p. 491, pl. 2, fig. 19-20 ; pl. 5, fig. 7.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

**Occultocythereis subspinelloosa KHOSLA**

*Occultocythereis subspinelloosa* KHOSLA, 1972, p. 491, pl. 2, fig. 21-22 ;

pl. 4, fig. 11 ; pl. 5, fig. 8.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

**Genus Orionina PURI, 1954**

**Orionina** sp. cf. *O. flabellacosta* HOLDEN

*Orionina* sp. cf. *O. flabellacosta* HOLDEN. Khosla, 1978, p. 264, pl. 3, fig. 23.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

**Genus Orthonotacythere ALEXANDER, 1933**

**Orthonotacythere kutchensis GUHA**

*Orthonotacythere kutchensis* GUHA, 1974, p. 169, pl. 2, fig. 18, 25.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

**Genus Ovocytheridea GREKOFF, 1951**

**Ovocytheridea cambayensis GUHA**

*Ovocytheridea cambayensis* GUHA, 1974, p. 167, pl. 1, fig. 7, 13, 15 ; pl. 2, fig. 1, 12, 16.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

**Ovocytheridea raoi JAIN**

*Ovocytheridea raoi* JAIN, 1978b, p. 53, pl. 1, fig. 7-10.

*Age* : Lower Eocene.

*Distribution* : Andhra Pradesh.

**Genus Paijenborchella KINGMA, 1948**

**Subgenus Eupaijenborchella KEIJ, 1966**

**Paijenborchella (E.) assamensis SHARMA**

*Paijenborchella assamensis* SHARMA, 1972, p. 131, pl. 1, fig. 3, 4.

*Age* : Middle Eocene.

*Distribution* : Meghalaya.

**Paijenborchella (E.) sp. cf. *P. eocaenica* TRIEBEL**

*Paijenborchella (E.)* sp. cf. *P. eocaenica* TRIEBEL. Khosla, 1972, p. 494, pl. 3, fig. 18.

*Age* : Middle Eocene.

*Distribution* : Rajasthan.

**Paijenborchella (E.) indica KHOSLA**

*Paijenborchella (E.)* sp. cf. *P. eocaenica* TRIEBEL. KHOSLA, 1972, p. 494, pl.

3, fig. 14, 15 ; pl. 5, fig. 11.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

**Paijenborchella (E.) indigena SHARMA**

*Paijenborchella (E.)* sp. cf. *P. eocaenica* TRIEBEL. SHARMA, 1972, p. 130, pl. 1, fig. 1, 2.

*Age* : Middle Eocene.

*Distribution* : Meghalaya.

**Paijenborchella (E.) malaiensis KINGMA**

*Paijenborchella (E.)* sp. cf. *P. eocaenica* TRIEBEL. KINGMA. Guha, 1968a, p. 62, pl. 4 fig. 11.

*Age* : Middle—Upper Miocene ; Pliocene.

*Distribution* : Andaman Islands.

\*misspelled by the author.

*Paijenborchella (E.) mohani KHOSLA*

*Paijenborchella (Eupaijenborchella) \*mohani KHOSLA*, 1972, p. 494, pl. 3, fig. 16-17; pl. 5, fig. 12.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

*Paijenborchella (E.) narediensis GUHA*

*Paijenborchella (Eupaijenborchella) narediensis GUHA*, 1974, p. 170, pl. 2, fig. 2, 3, 7.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

*Paijenborchella (E.) prona LUBIMOVA & GUHA*

*Paijenborchella prona LUBIMOVA & GUHA*, in Lubimova, Guha & Mohan, 1960, p. 43, pl. 4, fig. 1a-b; Guha, 1968c, p. 213, pl. 2, fig. 4; Guha, 1975, p. 14; Guha, & Rao, 1976, p. 92. *Paijenborchella boldi* TEWARI & TANDON, 1960, p. 159, text-fig. 5, fig. 2a-b.

*Paijenborchella (Eupaijenborchella)\* prona LUBIMOVA & GUHA*. Khosla, 1978, p. 274, pl. 5, fig. 8.

*Age* : Lower Miocene.

*Distribution* : Gujarat ; Bombay off-shore ; Kerala ; Tamil Nadu.

*Paijenborchella (E.) royi KHOSLA*

*Paijenborchella (Eupaijenborchella)\* royi KHOSLA*, 1978, p. 274, pl. 5, fig. 9-10.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Paijenborchella (E.) swaraswatae SHARMA*

*Paijenborchella swaraswatae SHARMA*, 1972, p. 132, pl. 1, fig. 5-8.

*Age* : Upper Eocene.

*Distribution* : Meghalaya.

*Paijenborchella (E.) tewarii GUHA*

*Paijenborchella tewarii GUHA*, 1971, p. 18, pl., fig. 1, 5, 15, 17.

*Age* : Upper Eocene.

*Distribution* : Gujarat.

*Paijenborchella (Eupaijenborchella) sp.*

*Paijenborchella (Eupaijenborchella)\* sp.* Khosla, 1972, p. 495, pl. 3, fig. 19.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

Subgenus *Paijenborchella* KINGMA, 1948*Paijenborchella (P.) iocosa KINGMA*

*Paijenborchella (P.) iocosa KINGMA*. Guha, 1968a, p. 63, pl. 5, fig. 14.

*Age* : Pliocene.

*Distribution* : Andaman Islands.

*Paijenborchella (P.) sp.*

*Paijenborchella* sp. Mamgain & Chatterjee, 1977, p. 47, pl. 9, fig. F. I.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

Genus *Paijenborchella* s. l.*"Paijenborchella" trisulcata MANDELSTAM*

*Paijenborchella trisulcata* MANDELSTAM. Guha, 1968b, p. 88, pl. 1, fig. 9, 10, 15, 27.

*Age* : Middle Eocene.

*Distribution* : Gujarat.

*"Paijenborchella"* sp.

*Paijenborchella* sp. Jain, 1978a, p. 96, fig. 2 H.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Paijenborchellina* KUZNETSOVA, 1957*Paijenborchellina kutchensis GUHA*

*Paijenborchellina kutchensis* GUHA, 1974, p. 172, pl. 2, fig. 13.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

*Paijenborchellina* sp.

*Paijenborchellina* sp. Jain, 1978a, p. 128, fig. 5F 1-3.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Paracypris* SARS*Paracypris cambayensis* GUHA

*Paracypris cambayensis* GUHA, 1971, p. 17, pl. 1, fig. 13, 14.

*Age* : Upper Eocene.

*Distribution* : Gujarat.

*Paracypris contracta* (JONES)

*Paracypris contracta* (JONES). Mamgain & Chatterjee, 1977, p. 46, pl. 7, fig. E, H.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

*Paracypris lakiensis* GUHA

*Paracypris lakiensis* GUHA, 1974, p. 161, pl. 1, fig. 1, 2, 6.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

*Paracypris pandyai* KHOSLA

*Paracypris pandyai* KHOSLA, 1978, p. 261, pl. 2, fig. 8-9 ; pl. 6, fig. 4.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Paracypris wynnei* TEWARI & TANDON

*Paracypris wynnei* TEWARI & TANDON, 1960, p. 151, text-fig. 2, fig. 2 a-b.

*Age* : Middle Eocene.

*Distribution* : Gujarat.

? *Paracypris* sp. indet.

*Paracypris* sp. indet. Singh & Misra, 1968, p. 36, pl. 11, fig. 2-4.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

Genus *Paracytheridea* G. W. MUELLER, 1894*Paracytheridea andamanensis* GUHA

*Paracytheridea andamanensis* GUHA, 1968a, p. 59, pl. 4, fig. 4, 15.

*Age* : Middle—Upper Miocene ; Pliocene.

*Distribution* : Andaman Islands,

\*Misspelled by the author.

*Paracytheridea eocenica* KHOSLA

*Paracytheridea eocenica* KHOSLA, 1972, p. 493, pl. 3, fig. 9, 10; pl. 4, fig. 17; pl. 5, fig. 10.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

*Paracytheridea* sp. cf. *P. (P.) gradata* (BOSQUET)

*Paracytheridea* sp. cf. *P. (P.) gradata* BOSQUET. Khosla, 1978, p. 275, pl. 5, fig. 7.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Paracytheridea longicaudata* (BRADY)

*Paracytheridea longicaudata* (BRADY). Guha, 1968a, p. 60, pl. 4, fig. 8.

*Age* : Middle—Upper Miocene ; Pliocene.

*Distribution* : Andaman Islands.

*Paracytheridea perspicus* LUBIMOVA & GUHA

*Paracytheridea perspicua* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 50, pl. 4, fig. 8a-b ; Guha & Rao, 1976, p. 92 ; Khosla, 1978, p. 275, pl. 5, fig. 6.

*Paracytheridea misrai* TEWARI & TANDON, 1960, p. 153, text-fig. 2, fig. 4 a-c.

*Age* : Upper Oligocene—Lower Miocene.

*Distribution* : Gujarat ; Kerala.

*Paracytheridea sastrii* GUHA

*Paracytheridea sastrii* GUHA, 1974, p. 173, pl. 2, fig. 12, 24, 27.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

*Paracytheridea tewarii* GUHA

*Paracytheridea tewarii* GUHA, 1974, p. 173, pl. 2, fig. 23, 26.

*Age* : Lower Eocene.

*Distribution* : Gujarat.

*Paracytheridea* sp. indet.

*Paracytheridea* sp. indet. Bhatia & Mandwal, 1960, p. 281, pl. 41, fig. 3 a, b.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

Genus *Paracytherois* G. W. MUELLER, 1894*Paracytherois* sp. indet.

*Paracytherois* sp. indet. Jain, 1978a, p. 132, fig. 5M 1-2.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Paradoxostoma* FISCHER, 1855*Paradoxostoma* sp.

*Paradoxostoma* sp. Jain, 1978a, p. 131, fig. 5L 1-2.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Parakrithe* BOLD, 1972*Parakrithe pandei* KHOSLA

*Parakrithe pandei* KHOSLA, 1972, p. 485, pl. 2, fig. 24-25.

*Age* : Lower Eocene.

*Distribution* : Rajasthan.

Genus *Paranesidea* Maddocks, 1969*Paranesidea gajensis* KHOSLA

*Paranesidea gajensis* KHOSLA, 1978, p. 259 ; pl. 1, fig. 17-18.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Paranesidea nandanaensis* KHOSLA

*Paranesidea nandanaensis* KHOSLA, 1978, p. 259, pl. 1, fig. 19-20.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Paranesidea victrix* (BRADY)

*Bairdia victrix* BRADY. Guha, 1968a, p. 58, pl. 4, fig. 2.

*Age* : Pliocene.

*Distribution* : Andaman Islands.

Genus *Phlyctenophora* BRADY, 1880*Phlyctenophora bhatiae* JAIN

*Phlyctenophora bhatiae* JAIN, 1976, p. 127, pl. 1, A-D.

*Age* : Recent.

*Distribution* : Chilka, East Coast of India.

*Phlyctenophora chauhanii* KHOSLA

*Phlyctenophora chauhanii* KHOSLA, 1978, p. 261, pl. 2, fig. 5-6 ; pl. 6, fig. 2

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Phlyctenophora meridionalis* (LUBIMOVA & MOHAN)

*Paracyparis meridionalis* LUBIMOVA & MOHAN, in Lubimova, Guha & Mohan 1960, p. 23, pl. 2, fig. 3 ; Guha, 1968c, p. 211, pl. 1, fig. 5.

*Paracyparis gajensis* TEWARI & TANDON, 1960, p. 151, text-fig. 2, fig. 3a-b

*Phlyctenophora meridionalis* (LUBIMOVA & MOHAN). Khosla, 1978, p. 261, pl. 2, fig. 7 ; pl. 6, fig. 1.

*Age* : Lower Eocene—Lower Miocene.

*Distribution* : Gujarat ; Tamil Nadu.

*Phlyctenophora zealandica* BRADY

*Paracyparis zealandica* (BRADY). Guha, 1968c, p. 211, pl. 1, fig. 8.

*Age* : Pleistocene.

*Distribution* : Tamil Nadu.

*Phlyctenophora* sp. cf. *P. zealandica* BRADY

*Phlyctenophora* sp. cf. *P. zealandica* BRADY. Jain, 1978a, p. 133, fig. 5 SL-2.

*Age* : Recent.

*Distribution* : Mandvi, West Coast of India.

Genus *Platella* CORYELL & FIELDS, 1937*Platella guzeratensis* GUHA

*Platella guzeratensis* GUHA, 1965, p. 144, pl. 11, fig. 2, 15 ; text-fig. 1.

*Age* : Middle—Upper Eocene.

*Distribution* : Gujarat.

Genus *Pokornyella* OERTLI, 1956*Pokornyella alata* KHOSLA

*Pokornyella alata* KHOSLA, 1978, p. 264, pl. 3, figs. 7-8.

*Age* : Lower Miocene.

*Distribution* : Gujarat.

*Pokornyella chaasraensis* (LUBIMOVA & GUHA)  
*Trachyleberis chaasraensis* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan 1960, p. 39, pl. 3, figs. 6a-b.  
*Aurila chaasraensis* (LUBIMOVA & GUHA). Guha, 1961, p. 3, text-fig. 2, 4, 6 ; Guha et al., 1965, p. 3, pl. 3, fig. 13 ; Guha, 1967a ; Guha, 1968c, p. 214, pl. 2, fig. 14 ; Guha, 1974, p. 171 ; Guha 1975, p. 14 ; Guha and Rao, 1976, p. 92.  
*Hemicythere aff. amygdala* TEWARI & TANDON, 1960, p. 157, text-fig. 4, fig. 2a-b (not *Hemicythere amygdala* Stephenson, 1944).  
*Pokornyella chaasraensis* (LUBIMOVA & GUHA). Khosla, 1978, p. 265, pl. 3, fig. 6, pl. 5, fig. 11.  
Age : Middle Oligocene—Lower Miocene.  
Distribution : Gujarat ; Bombay off-shore ; Tamil Nadu ; Kerala.

*Pokornyella pindarensis* KHOSLA  
*Pokornyella pindarensis* KHOSLA, 1978, p. 265, pl. 3, fig. 9-10.  
Age : Lower Miocene.  
Distribution : Gujarat.

*Pokornyella robusta* (GUHA)  
*Aurila chaasraensis* var. *robusta* GUHA, 1968c, p. 215, pl. 2, fig. 12, 13.  
Age : Lower Miocene.  
Distribution : Tamil Nadu.

Genus *Pontocypris* SARS, 1866  
*Pontocypris* sp. 5  
*Pontocypris* sp. 5. Maddocks, 1969, p. 44, fig. 32 D, E.  
Age : Recent.  
Distribution : East Coast of India.

Genus *Propontocypris* SYLVESTER-BRADLEY, 1947  
Subgenus *Propontocypris* SYLVESTER-BRADLEY, 1947  
*Propontocypris* (P.) *herdmani* (SCOTT)  
*Paracypris* sp. indet. Bhatia & Mandwal, 1960, p. 281, pl. 41, fig. 2.  
*Propontocypris* (P.) *herdmani* (SCOTT). Maddocks, 1969, p. 17, fig. 8 U ; 14 f, g, 1, m.  
*Propontocypris* sp. cf. (P.) *herdmani* (SCOTT). Guha, 1975, p. 17, pl. 1, fig. 3-4.  
*Propontocypris* (P.) *herdmani* (SCOTT). Khosla, 1978, p. 260, pl. 2, fig. 4.  
Age : Upper Oligocene—Middle Miocene ; Recent.  
Distribution : Gujarat ; Bombay off-shore ; East Coast of India ; Andaman Sea.

*Propontocypris* (P.) *paradispar* MADDOCKS  
*Propontocypris* (P.) *paradispar* MADDOCKS, 1969, p. 15, fig. 7F, 12, 13.  
Age : Recent.  
Distribution : Andaman Sea.

*Propontocypris* (P.) *quasicrocata* MADDOCKS  
*Propontocypris* (P.) *quasicrocata* MADDOCKS, 1969, p. 15, fig. 11 a, c, g, h.  
Age : Recent.  
Distribution : Bay of Bengal.

*Propontocypris* (P.) sp. 6

*Propontocypris* (P.) sp. 6 Maddocks, 1969, p. 23, fig. 17 L-N.  
Age : Recent.  
Distribution : West Coast of India.

*Propontocypris* (P.) sp.  
*Propontocypris* (P.) sp. Jain, 1978a, p. 133, fig. 5 R.  
Age : Recent.  
Distribution : Mandvi, West Coast of India.

Subgenus *Schedopontocypris* MADDOCKS, 1969  
*Propontocypris* (S.) *bengalensis* MADDOCKS  
*Propontocypris* (S.) *bengalensis* MADDOCKS, 1969, p. 38, fig. 31 A, C. F.  
Age : Recent.  
Distribution : East Coast of India.

*Propontocypris* (S. ?) sp. 4.  
*Propontocypris* (*Schedopontocypris* ?) sp. 4. Maddocks, 1969, p. 42, fig. 31 E, H, M, N.  
Age : Recent.  
Distribution : East Coast of India.

*Propontocypris* (S.?) sp. 5  
*Propontocypris* (*Schedopontocypris* ?) sp. 5. Maddocks, 1969, p. 42, fig. 31 I, J.  
Age : Recent.  
Distribution : East Coast of India.

Genus *Protobuntonia* GREKOFF, 1954  
*Protobuntonia* *hartmanni* JAIN  
*Protobuntonia* *hartmanni* JAIN, 1978b, p. 56, pl. 2, fig. 8-9.  
Age : Lower Eocene.  
Distribution : Andhra Pradesh.

Genus *Pterygocythereis* BLAKE, 1933  
*Pterygocythereis* *kakdiensis* GUHA  
*Pterygocythereis* *kakdiensis* GUHA, 1974, pl. 165, pl. 2, fig. 8, 20.  
Age : Lower Eocene.  
Distribution : Gujarat.

*Pterygocythereis* ? sp.  
*Pterygocythereis* ? sp. Khosla, 1978, p. 270, pl. 4, fig. 21.  
Age : Lower Miocene.  
Distribution : Gujarat.

Genus *Quadracythere* HORNIBROOK, 1952  
Subgenus *Hornbrookella* MOOS, 1965  
*Quadracythere* (H.) *arcana* (LUBIMOVA & GUHA)  
*Cythereis* *arcana* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 33, pl. 3, fig. 1.  
*Quadracythere* *arcana* (LUBIMOVA & GUHA). Guha, 1968b, p. 91 ; Khosla, 1972, p. 491, pl. 2, fig. 12.  
*Quadracythere* (*Hornbrookella*) *arcana* (LUBIMOVA & GUHA). Siddiqui, 1971, p. 67, pl. 34, fig. 3-5.  
Age : Middle Eocene—Upper Oligocene.  
Distribution : Gujarat ; Rajasthan.

*Quadracythere* (H.) *subquadrata* SIDDIQUI  
*Quadracythere* (*Hornbrookella*) *subquadrata* SIDDIQUI. Jain, 1978b, p. 54, pl. 1, fig. 11-12.  
Age : Lower Eocene.  
Distribution : Andhra Pradesh.

**Genus** *Quadracythere* HORNIBROOK, 1952 s. l.  
 "Quadracythere" avadhesi (SINGH & MISRA)  
*Cythereis avadhesi* SINGH & MISRA, 1968, p. 35, pl. 10, fig. 6-8.  
*Quadracythere avadhesi* (SINGH & MISRA). Khosla, 1972, p. 491, pl. 2, fig. 11 ; pl. 4, fig. 15.  
*Age* : Lower—Middle Eocene.  
*Distribution* : Rajasthan.

"Quadracythere" avadhesi mudhensis KHOSLA  
*Quadracythere avadhesi mudhensis* KHOSLA, 1972, p. 492, pl. 3, fig. 5-6.  
*Age* : Middle Eocene.  
*Distribution* : Rajasthan.

"Quadracythere" nandanaensis KHOSLA  
*Quadracythere nandanaensis* KHOSLA, 1978, p. 265, pl. 3, fig. 13-14.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.

"Quadracythere" tewarii BHALLA  
*Quadracythere tewarii* BHALLA, 1979a, p. 239, pl. 1, fig. 1-7.  
*Age* : Lower Eocene.  
*Distribution* : Andhra Pradesh.

**Genus** *Radimella* POKORNY, 1955  
*Radimella* sp. cf. *R. polycosta* HOLDEN  
*Radimella* sp. cf. *R. polycosta* HOLDEN. Khosla, 1978, p. 266, pl. 3, fig. 16.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.

*Radimella saurashtraensis* (GUHA)  
*Hemicythere saurashtraensis* GUHA, 1967a, p. 36, text-fig. 2.  
*Radimella saurashtraensis* (GUHA). Khosla, 1978, p. 266, pl. 3, fig. 15.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.

**Genus** *Ruggieria* KEIJ, 1957  
*Ruggieria bhatiae* KHOSLA  
*Ruggieria bhatiae* KHOSLA, 1972, p. 492, pl. 3, fig. 7-8 ; pl. 4, fig. 10 ; pl. 5, fig. 9.  
*Age* : Lower Eocene.  
*Distribution* : Rajasthan.

*Ruggieria goujoni* (BRADY)  
*Trachyleberis goujoni* (BRADY). Guha, 1968c, p. 214, pl. 1, fig. 10, 22.  
*Age* : Pliocene—Pleistocene.  
*Distribution* : Tamil Nadu.

*Ruggieria guhai* KHOSLA  
*Ruggieria aff. micheliniana* GUHA 1961, p. 4, text-fig. 15 [not *Ruggieria miceliniana* (BOSQUET)].  
*Ruggieria guhai* KHOSLA, 1978, p. 279, pl. 4, fig. 18-19 ; pl. 6, fig. 19.  
*Age* : Lower Miocene.  
*Distribution* : Gujarat.

**Genus** *Schizocythere* TRIEBEL, 1950  
*Schizocythere appendiculata* TRIEBEL  
*Schizocythere appendiculata* TRIEBEL. Khosla, 1972, p. 486, pl. 2, fig. 1.  
*Age* : Lower—Middle Eocene.  
*Distribution* : Rajasthan.

*Schizocythere* sp. cf. *S. appendiculata* TRIEBEL  
*Schizocythere* sp. cf. *S. appendiculata* TRIEBEL. Mathur, 1969, p. 38, pl. 2, fig. 3, 3a.  
*Age* : Middle Eocene.  
*Distribution* : Himachal Pradesh.

*Schizocythere bikanerensis* SINGH & MISRA  
*Schizocythere bikanerensis* SINGH & MISRA, 1968, p. 29, pl. 7, fig. 8-10 ; Khosla, 1972, p. 487, pl. 2, fig. 2.  
*Age* : Lower Eocene.  
*Distribution* : Rajasthan.

*Schizocythere guzeratensis* GUHA  
*Schizocythere guzeratensis* GUHA, 1968b, p. 84, pl. 1, fig. 11-14, 16, 20.  
*Age* : Middle Eocene.  
*Distribution* : Gujarat.

*Schizocythere levinsoni* (RAJAGOPALAN)  
*Schizocythere?* *levinsoni* RAJAGOPALAN, 1962, p. 67, pl. 4, fig. 16-19.  
*Schizocythere levinsoni* RAJAGOPALAN, amend. GUHA, in GUHA & SHUKLA, 1973, p. 98, pl. 1, fig. 3, 8, 16.  
*Age* : Upper Paleocene—Lower Eocene.  
*Distribution* : Pondicherry ; Tamil Nadu.

*Schizocythere* sp. cf. *S. levinsoni* RAJAGOPALAN  
*Schizocythere* cf. *S. levinsoni* RAJAGOPALAN. GUHA, 1974, p. 162, pl. 1, fig. 5, 9.  
*Age* : Lower Eocene.  
*Distribution* : Gujarat.

*Schizocythere spinosa* GUHA  
*Schizocythere spinosa* GUHA, 1974, p. 162, pl. 2, fig. 4, 5.  
*Age* : Lower Eocene.  
*Distribution* : Gujarat.

**Genus** *Semicytherura* WAGNER, 1957  
*Semicytherura kutchensis* GUHA  
*Semicytherura kutchensis* GUHA, 1974, p. 168, pl. 2, fig. 9, 11.  
*Age* : Lower Eocene.  
*Distribution* : Gujarat.

*Semicytherura rameshi* (SINGH & MISRA)  
*Cythereura rameshi* SINGH & MISRA, 1968, p. 31, pl. 8, fig. 4-6.  
*Semicytherura rameshi* (SINGH & MISRA). Khosla, 1972, p. 495, pl. 3 fig. 11.  
*Age* : Lower—Middle Eocene.  
*Distribution* : Rajasthan.

*Semicytherura* sp.  
*Semicytherura* sp. Mathur, 1969, p. 38, pl. 2, fig. 6, 6a.  
*Age* : Middle Eocene.  
*Distribution* : Himachal Pradesh.

**Genus** *Stigmatocythere* SIDDIQUI, 1971  
*Stigmatocythere chaasraensis* (GUHA)  
*Occultocythereis chaasraensis* GUHA, 1961, p. 4, fig. 8, 10 ; GUHA, 1975, p. 14.  
*Stigmatocythere chaasraensis* (GUHA). Khosla, 1976, p. 136, pl. 1, fig. 7, 9.  
*Age* : Oligocene—Lower Miocene.  
*Distribution* : Gujarat ; Bombay off-shore.

*Stigmatocythere latebrosa* (LUBIMOVA & GUHA)

*Cythereis latebrosa* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 34, pl. 3, fig. 2.

*Bradleya latebrosa* (LUBIMOVA & GUHA). Guha, 1968c, p. 216, pl. 2, fig. 19, 21.

*Stigmatocythere latebrosa* (LUBIMOVA & GUHA). Khosla, 1976, p. 137, pl. 1, fig. 10-11.

Age : Lower Miocene.

Distribution : Gujarat ; Tamil Nadu.

*Stigmatocythere reversa* KHOSLA

*Stigmatocythere reversa* KHOSLA, 1976, p. 137, pl. 1, fig. 1-6.

Age : Lower Miocene.

Distribution : Gujarat.

Genus *Tanella* KINGMA, 1948*Tanella gracilis* KINGMA

*Tanella gracilis* KINGMA. Jain, 1976, p. 128, pl. 2, G-I ; 1978a, p. 97, fig. 2 J 1-4.

Age : Recent.

Distribution : Chilka, East Coast of India ; Mandvi, West Coast of India.

*Tanella gracilis* morphotype A JAIN

*Tanella gracilis* morphotype A Jain, 1978a, p. 97, fig. 2K 1-2.

Age : Recent.

Distribution : Mandvi, West Coast of India.

Genus *Trachyleberis* SYLVESTER-BRADLEY, 1948*Trachyleberis bodjonegoroensis* (KINGMA)

*Trachyleberis bodjonegoroensis* (KINGMA). Guha, 1968a, p. 65, pl. 4, fig. 17.

Age : Pliocene.

Distribution : Andaman Islands.

*Trachyleberis spinellosa* (LUBIMOVA & GUHA)

*Cythereis spinellosa* LUBIMOVA & GUHA, in Lubimova, Guha & Mohan, 1960, p. 31, pl. 2, fig. 10.

*Trachyleberis spinellosa* (LUBIMOVA & GUHA). Guha et al., 1965, p. 3, pl. 3, fig. 15 ; Guha, 1968c, p. 214, pl. 2, fig. 5.

Age : Lower Eocene—Lower Miocene.

Distribution : Gujarat ; Tamil Nadu.

Genus *Triebelina* BOLD, 1946*Triebelina costellata* KHOSLA

*Triebelina costellata* KHOSLA, 1978, p. 260, pl. 1, fig. 14-16.

Age : Lower Miocene.

Distribution : Gujarat.

*Triebelina indopacifica* BOLD

*Triebelina indopacifica* BOLD. Guha, 1968a, p. 59, pl. 4, fig. 3 ; Guha, 1975, p. 17, pl. 1, fig. 8, 10.

Age : Lower Miocene ; Pliocene.

Distribution : Bombay off-shore ; Andaman Islands.

*Triebelina quilonensis* GUHA & RAO

*Triebelina quilonensis* GUHA & RAO, 1976, p. 95, pl. 1, fig. 1. 5.,

Age : Lower Miocene.

Distribution : Kerala.

*Triebelina sertata* TRIEBEL

*Triebelina sertata* TRIEBEL. Guha, 1968a, p. 59, pl. 5, fig. 1.

Age : Pliocene.

Distribution : Andaman Islands.

*Triebelina* sp. cf. *T. tuberculata* (BRADY)

*Bairdia* cf. *B. tuberculata* BRADY. Guha, 1968a, p. 59, pl. 5, fig. 4.,

Age : Pliocene.

Distribution : Andaman Islands.

Genus *Uroleberis* TRIEBEL, 1958*Uroleberis foveolata* (BRADY)

*Uroleberis foveolata* (BRADY). Guha, 1975, p. 19, pl. 1, fig. 12.

Age : Upper Oligocene-Lower Miocene.

Distribution : Bombay off-shore.

*Uroleberis gopuramensis* GUHA & SHUKLA

*Uroleberis gopuramensis* GUHA & SHUKLA, 1973, p. 102, pl. 1, fig. 11, 13, 20.

Age : Upper Paleocene—Lower Eocene.

Distribution : Tamil Nadu.

*Uroleberis kutchensis* GUHA

*Uroleberis kutchensis* GUHA, 1968b, p. 88, pl. 1, fig. 4, 8, 12 ; Khosla, 1972, p. 496, pl. 3, fig. 23.

Age : Middle Eocene.

Distribution : Gujarat ; Rajasthan.

*Uroleberis reticulata* GUHA & SHUKLA

*Uroleberis reticulata* GUHA & SHUKLA, 1973, p. 102, pl. 1, fig. 1, 12.

Age : Lower Eocene.

Distribution : Tamil Nadu.

Genus *Vijaiella* JAIN, 1978*Vijaiella mandviensis* JAIN

*Vijaiella mandviensis* JAIN, 1978a, p. 112, fig. 3K 1-4 ; 6 J.

Age : Recent.

Distribution : Mandvi, West Coast of India.

Genus *Xestoleberis* SARS, 1866*Xestoleberis margaritea* BRADY

*Xestoleberis margaritea* BRADY. Guha, 1968a, p. 64, pl. 5, fig. 10.

Age : Pliocene.

Distribution : Andaman Islands.

*Xestoleberis* sp. cf. *X. muelleriana* LIENENKLAUS

*Xestoleberis* sp. cf. *X. muelleriana* LIENENKLAUS. Khosla, 1972, p. 495, pl. 3, fig. 21.

Age : Lower Eocene.

Distribution : Rajasthan.

*Xestoleberis nana* BRADY

*Xestoleberis nana* BRADY. Guha, 1968a, p. 64, pl. 5, fig. 9.

Age : Middle—Upper Miocene ; Pliocene.

Distribution : Andaman Islands.

*Xestoleberis rajagopalanensis* GUHA

*Xestoleberis rajagopalanensis* GUHA, 1967b.

Age : Oligocene.

Distribution : Gujarat.

- Xestoleberis rupnarayanaalurensis* GUHA & SHUKLA  
*Xestoleberis rupnarayanaalurensis* GUHA & SHUKLA, 1973, p. 101, pl. 2, fig. 2, 3, 8, 9.  
 Age : Middle-Upper Paleocene.  
 Distribution : Tamil Nadu.
- Xestoleberis subglobosa* (BOSQUET)  
*Xestoleberis subglobosa* (BOSQUET). Guha, 1968b, p. 88, pl. 1, fig. 3 ; Mathur, 1969, p. 38, pl. 2, fig. 7, 7a.  
 Age : Middle Eocene.  
 Distribution : Gujarat ; Himachal Pradesh.
- Xestoleberis variegata* BRADY  
*Xestoleberis variegata* BRADY. Guha, 1967, Guha, 1968a, p. 64, pl. 4, fig. 19 ; Guha, 1974, p. 171 ; Guha, 1975, p. 19, pl. 1, fig. 2, 5.  
 Age : Upper Oligocene-Pliocene.  
 Distribution : Gujarat ; Andaman Islands ; Bombay Off-shore.
- Xestoleberis* sp. cf. *X. variegata* BRADY  
*Xestoleberis* sp. cf. *X. variegata* BRADY. Jain, 1978a, p. 129, fig. 5H 1-3.  
 Age : Recent.  
 Distribution : Mandvi, West Coast of India.
- Xestoleberis* sp. A  
*Xestoleberis* sp. A Khosla, 1978, p. 276, pl. 5, fig. 21-22.  
 Age : Lower Miocene.  
 Distribution : Gujarat.
- Xestoleberis* sp. B  
*Xestoleberis* sp. B. Khosla, 1978, p. 276, pl. 5, fig. 23-24.  
 Age : Lower Miocene.  
 Distribution : Gujarat.
- ? *Xestoleberis* sp. indet.  
? *Xestoleberis* sp. indet. Jain, 1978b, p. 58, pl. 2, fig. 10-11  
 Age : Lower Eocene.  
 Distribution : Andhra Pradesh.
- Xestoleberis* sp.  
*Xestoleberis* sp. Guha et al., 1965, p. 4, pl. 3, fig. 3.  
 Age : Lower Miocene.  
 Distribution : Tamil Nadu.
- Xestoleberis* sp. A  
*Xestoleberis* sp. A. Jain, 1978a, p. 129, fig. 5I 1-2.  
 Age : Recent.  
 Distribution : Mandvi, West Coast of India.
- Xestoleberis* sp. B  
*Xestoleberis* sp. B. Jain, 1978a, p. 130, fig. 5J 1-2.  
 Age : Recent.  
 Distribution : Mandvi, West Coast of India.
- REFERENCES
- BHALLA, S. N. 1979a. *Quadracythere tewarii* sp. nov. from Rajahmundry Intertrappean Beds, India. *Jour. Geol. Soc. India.* **20** (5) : 239-243.
- BHALLA, S. N. 1979b. A new ostracod species from Lower Eocene Inter-Trappean Beds, Andhra Pradesh. *Ind. Geol. Assoc. Bull.* **12** (2) : 145-149.
- BHALLA, S. N. 1980. *Hermanites sastryi*—a new species of ostracoda from Lower Eocene of Andhra Pradesh India. *Jour. Geol. Soc. India.* **21** (6) : 298-301.
- BHATIA, S. B. and KUMAR, S. 1979. Recent Ostracoda from off Karwar, West Coast of India. *VII Int. Symp. Ostracodes, Proc. Belgrad.* 173-178.
- BHATIA, S. B. and MANDWAL, N. K. 1960. Burdigalian Ostracoda from the Surat-Broach area, Western India. *Jour. Pal.* **34** (2) : 280-284.
- MCKENZIE, K. G. Ed. 1971. *Checklist of Ostracoda recorded from the Indian Subcontinent and Ceylon (1840-1971)*. Standard Commercial Printers, Cheltenham, Australia.
- GRAMMAN, FRANZ. 1975. Ostracoda from Tertiary sediments of Burma with reference to living species. *Geol. Jb.* **14** : 1-46.
- GUHA, D. K. 1961. A note on the Ostracodes from Lower Miocene of Chaasra, Kutch *Bull. Geol. Min. Metall. Soc. India.* **24** : 1-6.
- GUHA, D. K. 1965. Palaeogene Ostracoda of the family Cytherellidae from subsurface samples of Cambay, Gujarat State, Western India. *Jour. Geol. Soc. India.* **6** : 143-148.
- GUHA, D. K. 1967a. Ostracoda from the Lower Miocene of Saurashtra, Western India. *Quart. Jour. Geol. Min. Metall. Soc. India.* **39** (1) : 35-37.
- GUHA, D. K. 1967b. Ostracoda from Oligocene subcrops of Cambay, Western India. *Bull. Oil & Nat. Gas Comm.* **4** (1) : 17-22.
- GUHA, D. K. 1968a. On the ostracoda from Neogene of Andaman Islands. *Jour. Geol. Soc. India.* **9** (1) : 58-66.
- GUHA, D. K. 1968b. Ostracoda from Middle Eocene of Kutch, Gujarat State, Western India. *Bull. Oil & Nat. Gas Comm.* **5** (1) : 83-92.
- GUHA, D. K. 1968c. Young Cenozoic marine Ostracoda from subcrops of South India. *Mem. Geol. Soc. India.* **2** : 208-217.
- GUHA, D. K. 1971. Upper Eocene Ostracoda from subcrop of Cambay, Western India. *Bull. Oil & Nat. Gas Comm.* **8** (1) : 17-21.
- GUHA, D. K. 1974. Marine Ostracoda from Tertiary of Kutch and Cambay. *Panjab Univ. Centre Adv. Study Geol. Publ.* **10** : 156-176.
- GUHA, D. K. 1975. On some Ostracoda from Miocene of Bombay Offshore Well. *Bull. Oil & Nat. Gas Comm.* **11** (2) : **12** (1), (Combined issue) : 13-20.
- GUHA, D. K., MOHAN, M., KUMAR, P., IYENGAR K. R. and RAJU, D. S. N. 1965. Marine Neogene microfauna from Karikal, South India. *Bull. Geol. Min. Metall. Soc. India.* **34** : 1-13.
- GUHA, D. K. and RAO, V. K. 1976. Young Cenozoic Ostracoda from West Coast of India. *VI Indian Colloq. Micropal. Strat. Proc. Varanasi.* 91-98.
- GUHA, D. K., and SHUKLA, A. C. 1974. Paleocene and Early Lower Eocene Ostracoda from the subcrops of Vridhachalam, Tamil Nadu. *Bull. Oil & Nat. Gas Comm.* **10** (1-2) : 93-103.
- HONAPPA. 1975. Taxonomy, Morphology, Ecology and Statistical interpretation of *Actinocythereis tumefacentis* (Lubimova & Guha). Ostracoda from the Recent Sediments of Mangalore Harbour Area, West Coast of India. *Rev. Espanola Micropal.* **7** (3) : 417-449.
- JAIN, S. P. 1976. Holocene Ostracoda from Chilka Lake, Orissa *VI Indian Colloq. Micropal. Strat. Proc. Varanasi.* 135-139.
- JAIN, S. P. 1978a. Recent Ostracoda from Mandvi Beach, West Coast of India. *Bull. Indian Geol. Assoc.* **11** (2) : 89-139.
- JAIN, S. P. 1978b. Ostracodes des "Inter-Trappean Beds" (Eocene Inferieur) de Kateru, Rajahmundry, Cote est de L'Inde. *Rev. Micropal.* **21** (2) : 51-58.

- JAMES, C. M. 1971. Planktonic Ostracods of the Southwest Coast of India and the Laccadive Sea obtained during the Cruises of 'R. V. Varuna'. *Indian Ocean Symp.* Cochin. 50.
- KHOSLA, S. C. 1968. A note on the occurrence of rich ostracode assemblage from the Eocene Beds of Rajasthan. *Roorkee Univ. Res. Jour.* **10** (3-4) : 43-51.
- KHOSLA, S. C. 1972. Ostracodes from the Eocene beds of Rajasthan, India. *Micropalaeontology*. **18** (4) : 476-507.
- KHOSLA, S. C. 1976. The Ostracoda genus *Stigmatocythere* Siddiqui in the Miocene (Burdigalian) beds of District Jamnagar, Gujarat. *VI Indian Colloq. Micropal. Strat. Proc. Dehradun.* 135-139.
- KHOSLA, S. C. 1978. Lower Miocene Ostracoda from Jamnagar and Porbandar Districts, Gujarat, India. *Micropaleontology*. **24** (3) : 251-290.
- LUBIMOVA, P. S., GUHA, D. K. and MOHAN, M. 1960. Ostracoda of Jurassic and Tertiary deposits from Kutch and Rajasthan (Jaisalmer), India. *Bull. Geol. Min. Metall. Soc. India*. **22**: 1-61.
- MADDOCKS, R. F. 1969. Recent ostracodes of the family Pontocyprididae chiefly from the Indian Ocean. *Smithsonian Contr. Zool.* **7** : 1-56.
- MAMGAIN, V. D., and CHATTERJEE, B. P. 1977. Eocene Ostracoda from Kolayatji area, Rajasthan. *Rec. Geol. Surv. India*. **108** (2) : 42-50.
- MATHUR, N. S. 1969. Fauna of the Red Beds of Subathu (Eocene) near Garkhal, Simla Hills. *Panjab Univ. Centre Adv. Study Geol. Publ.* **6** : 34-42.
- RAJAGOPALAN, N. 1962. Ostracoda from the early Tertiary sediments of Pondicherry, South India. *Jour. Geol. Soc. India*. **3** : 63-69.
- SHARMA, K. C. 1972. The Ostracod genus *Paijenborchella* from the Eocene rocks of Garo Hills, Meghalaya. *II Indian Colloq. Micropal. Strat. Proc. Lucknow* : 129-139.
- SIDDQUI, Q. A. 1971. Early Tertiary Ostracoda of the family Trachyleberididae from West Pakistan. *Bull. British Museum (Nat. Hist.) suppl.* **9** : 198.
- SINGH, P., VIMAL, K. P., and KULVE, D. K. 1972. A note on the Ostracoda and foraminifera from the Pliocene of Neill Island, South Andaman. *Current Science*. **41** (8) : 293-294.
- SINGH, S. N. and MISRA, P. C. 1958. New genus and species of Ostracodes from Fuller's earth Kolayatji, Bikaner, Rajasthan, India. *Jour. Pal. Soc. India*. **11** : 26-37.
- SRIVASTAVA, S. S. 1968. Ostracoda from the Kopili Formation (Upper Eocene) of Assam. *Current Science*. **37** (5) : 141-142.
- TEWARI, B. S., and BHARGAVA, O. N. 1968. Kutch microfauna : Oligocene Foraminifera and Ostracoda from Waghopadar, S. E. Kutch. *Jour. Pal. Soc. India* **10** : 26-30.
- TEWARI, B. S., and SINGH, P. 1967. Ostracoda from the Nummulitic Beds of Kalakot, Jammu & Kashmir State. *Panjab Univ. Centre Adv. Study Geol. Publ.* **3** : 117-130.
- TEWARI, B. S., and TANDON, K. K. 1960. Kutch microfauna--Lower Tertiary Ostracoda. *Proc. Nat. Inst. Sci. India*. **26** (4) : 148-167.